



IBM, LIFT- OFF TAPE
P/N 1136433

MATERIAL SAFETY DATA SHEET

Lexmark International, Inc
740 New Circle Rd NW
Lexington, Kentucky 40511-1876

Material Safety Data Sheet
Emergency: 1-606-232-3333
Information: 1-606-232-3000

SECTION 1 - CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Name: IBM, Lift-Off Tape

Part Number: 1136433

Trade Names/Synonyms: Not applicable

Chemical Family: Not applicable

Product Use: IBM machine(s)- Correcting Selectric II and III, Electronic Typewriters-50, 60, 65, 75, 85, 95, Mag Card /A Typewriter, Mag Card Executive Typewriter, Mag Card II Typewriter, Memory Typewriter Models 50 & 100, Personal Typewriter

SECTION 2 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>COMPONENT</u>	<u>PERCENT (WT.)</u>	<u>CAS#</u>	<u>OSHA PEL</u>	<u>ACGIH TLV</u>
Polyethylene terephthalate	70%	Unknown	Not Established	Not Established
Rubber-resin adhesive	30%	Unknown	Not Established	Not Established

NOTE: Hazardous ingredients per OSHA 29 CFR 1910.1200:
None

SECTION 3 - HAZARDS IDENTIFICATION

Potential Health Effects

Inhalation:

Short Term Exposure: No adverse acute effects known.

Long Term Exposure: No adverse chronic effects known.



IBM, LIFT- OFF TAPE
P/N 1136433

Skin Contact:

Short Term Exposure: No adverse effects known

Long Term Exposure: No adverse chronic effects known.

Eye Contact:

Short Term Exposure: No adverse effects known.

Long Term Exposure: No adverse chronic effects known.

Ingestion:

Short Term Exposure: No adverse acute effects known.

Long Term Exposure: No adverse chronic effects known.

Carcinogen Status:

No substance in this tape, subject to the reporting requirements, has been found to be a carcinogen or a potential carcinogen as listed by the NTP, IARC or OSHA.

Medical condition generally aggravated by exposure:

No adverse effects known

SECTION 4 - FIRST AID MEASURES

Inhalation

First Aid: No adverse effects known.

Skin Contact

First Aid: Immediately wash affected area with soap and water.

Eye Contact

First Aid: Immediately wash with running water or shower for 15 minutes.

Ingestion

First Aid: Seek medical attention.

SECTION 5 - FIRE FIGHTING MEASURES

Fire and Explosion Hazard: None known.

Extinguishing Media: Water, dry chemical, foam

Firefighting Procedure: Use a self contained breathing apparatus. Treat as if an oil fire.
Water is generally ineffective.

Hazardous Combustion Products: Carbon Dioxide, Carbon Monoxide, and other harmful products

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Occupational Spill: Not applicable.

SECTION 7 - HANDLING AND STORAGE

Avoid excessive temperatures during storage. Preferred temperature is normal room temperature.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits: None.

Ventilation: None required

Eye Protection: None required

Clothing: None required

Gloves: None required

Respirator: None required

SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Description: White coating on transparent film with mild rubber odor.

Melting Point: Film approximately 176 C and coating approximately 105 C

Specific Gravity: 1.22

Water Solubility: Negligible, <0.1%

SECTION 10 - STABILITY AND REACTIVITY

Reactivity: Stable.

Conditions to Avoid: None known.

Incompatibilities: Strong acids, bases and other oxidizers.

Hazardous Decomposition: None identified. Incomplete burning can produce carbon monoxide and /or carbon dioxide and other harmful products.

Polymerization: Will not occur.

SECTION 11 - TOXICOLOGY INFORMATION

Carcinogen Status: No substance in this ribbon, subject to the reporting requirements, has been found to be a carcinogen or a potential carcinogen as listed in NTP, IARC or OSHA.

Acute Toxicity Level: Testing has not been conducted. Toxicologic findings for the major components used to formulate this product indicate they are of low toxicity.

Target Effects: None known.

SECTION 12 - ECOLOGICAL INFORMATION

Environmental impact rating (0-4): This product has not been tested for environmental effects.

Acute Aquatic Toxicity: This product is expected to cause little oxygen depletion in aquatic systems. It is also expected to have a low potential to affect aquatic organisms, secondary waste treatment microorganisms, and the germination and growth of plants.

Degradability: This product is expected to be resistant to biodegradation.

Log Bioconcentration Factor (BCF): This product is expected to be unlikely to bioconcentrate.

Log Octanol/Water Partition Coefficient: Not Available.



**IBM, LIFT- OFF TAPE
P/N 1136433**

SECTION 13 - DISPOSAL INFORMATION

This tape is not classified as hazardous waste. Dispose of in accordance with local, state and federal regulations. For single tape dispose as regular office trash. For larger quantities disposal by incineration or in a secure landfill is recommended.

SECTION 14 - TRANSPORTATION INFORMATION

This product is not regulated by DOT.

SECTION 15 - REGULATORY INFORMATION

This product is not regulated as a hazardous substance.

SECTION 16 - OTHER

Disclaimer: Lexmark believes that the information contained herein is current as of the date of the Material Safety Data Sheet. No warranty as to its accuracy or completeness is expressed or implied.

MID: 00 1136433

Creation Date: 01/21/95

Revision Date: 1/21/96