


# Material Safety Data Sheet



## U.S. Department of Labor

May be used to comply with

OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

Occupational Safety and Health  
Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0072

IDENTITY (*As Used on Label and List*)

PETRO JELLY

Ingredients: White Petrolatum

Note: Blank spaces are not permitted. If any item is  
not applicable, or no information is available, the  
space must be marked to indicate that.

### Section I

Company Name H&H LABORATORIES INC.	Emergency Telephone Number 718-624-8041
Address ( <i>Number, Street, City, State, and ZIP Code</i> ) 61 4 <sup>TH</sup> STREET	Telephone Number for Information 718-624-8041
BROOKLYN, N.Y. 11231	Date Prepared 05/01/07
	Signature of Preparer ( <i>optional</i> )

### Section II - Hazard Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity; Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended	%( <i>optional</i> )
none				

### Section III - Physical/Chemical Characteristics

Boiling Point	650°F	Specific Gravity (H <sub>2</sub> O = 1)	0.870
Vapor Pressure (mm Hg.)	<1	Melting Point	39.0° C
Vapor Density (AIR = 1)	N/A	Evaporation Rate (Butyl Acetate = 1)	<1
Solubility in Water INSOLUBLE IN WATER, MISIBLE IN MIN.OIL			
Appearance and Odor opaque			

#### Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) APP.400° F	Flammable Limits	LEL N/AV	UEL N/AV
Extinguishing Media CARBON DIOXIDE, DRY CHEMICALS,OR FOAM			
Special Fire Fighting Procedures DO NOT USE STREAMS OF WATER AS THIS WILL SCATTER THE LIQUID AND SPREAD THE FIRE. A WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL.MAY CREATE DENSE SMOKE DURING COMBUSTION.			
Unusual Fire and Explosion Hazards			

(Reproduce locally)

OSHA 174, Sept. 1985

#### Section V - Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable X		N/AP
Incompatibility ( <i>Materials to Avoid</i> ) OXIDIZING AGENTS			
Hazardous Decomposition or Byproducts N/AP			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

#### Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation?	Skin?	Ingestion?
Health Hazards ( <i>Acute and Chronic</i> ) NOT CONSIDERED A PRIMARY SKIN OR EYE IRRITANT.NOT TOXIC BY ORAL INGESTION			
carcinogenicity:	NTP?	IARC Monographs?	OSHA Regulated?

Signs and Symptoms of Exposure
Medical Conditions Generally Aggravated by Exposure
Emergency and First Aid Procedures

## Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled SMALL SPILLS MAY BE ABSORBED WITH SAND OR OTHER SUITABLE OR ABSORBING MATERIAL. IF MATERIAL SOLIDIFIES, SCRAPE INTO PERMISSIBLE DISPOSAL CONTAINERS
Waste Disposal Method MAY BE DISPOSED OF IN AN APPROVED LANDFILL
Precautions to Be taken in Handling and Storing STORE AT ROOM TEMPERATURE
Other Precautions

## Section VIII - Control Measures

Respiratory Protection ( <i>Specify Type</i> ) NONE REQUIRED		
Ventilation	Local Exhaust	Special
	Mechanical ( <i>General</i> )	Other
Protective Gloves NOT NECESSARY		Eye Protection NOT NECESSARY
Other Protective Clothing or Equipment NOT REQUIRED		
Work/Hygienic Practices		