

WHILE WE BELIEVE THE INFORMATION PROVIDED HEREIN IS ACCURATE AND CURRENT, WARNER-LAMBERT COMPANY MAKES NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, AND ASSUMES NO RESPONSIBILITY FOR ANY DAMAGE OR INJURIES OF ANY KIND WHICH MAY RESULT FROM USE OR RELIANCE UPON THIS INFORMATION.

**1. MATERIAL IDENTIFICATION**

Product Name: CALADRYL CLEAR LOTION

Formula: Mixture  
UPC #: 1254731180

MSDS #: 6025.1  
Date of Issue: 09/27/93  
Supersedes: NA  
Revision No: NA

Manufacturing Division:  
Consumer Health Products Group  
201 Tabor Rd.  
Morris Plains, NJ 07950

PERSON TO CONTACT:  
Mitchell Stewart  
(201)540-2000

Synonyms:  
CALADRYL CLEAR LOTION

**2. INGREDIENTS AND EXPOSURE LIMITS**

INGREDIENT NAME	CAS #
PRAMOXINE HCL USP OSHA PEL: ND ACGIH TLV: ND Other Exposure: ND Cancer: No	637-58-1
ALCOHOL 388, SPECIALLY DENATURED (ETHYL ALCOHOL) OSHA PEL: 1000 PPM ACGIH TLV: 1000 PPM Other Exposure: ND Cancer: No	64-17-5
GLYCERIN USP, SPECIAL OSHA PEL: 15 mg/m <sup>3</sup> * ACGIH TLV: 10 mg/m <sup>3</sup> * Other Exposure: ND Cancer: NO Comments: *Refers to Glycerin Mist	56-81-5

**3. PHYSICAL DATA**

Appearance: A clear to slightly opaque, translucent, smooth, homogeneous liquid.  
Odor Threshold: ND  
Characteristic Odor: Camphor

Physical State: Liquid  
Specific Gravity (H<sub>2</sub>O = 1): 0.925  
Acidity (pH) @ 25°C: ND  
Water Solubility: Yes  
Other Solubility: ND

I-250902 C-00501325106

Hc #78  
p.2

#### 4. FIRE AND EXPLOSION DATA

Flash Point (Method): ND

Extinguishing Media: CO<sub>2</sub>, Dry Chemical, Foam, Water Spray

Special Fire Fighting Procedures: Use approved self-contained breathing apparatus.

Unusual Fire Hazards: Combustible liquid contains 2% Ethyl Alcohol.

Unusual Explosion Hazards: NA

Harmful Combustion Products: Oxides of carbon.

#### 5. REACTIVITY DATA

Under labeled storage conditions, this product is stable and hazardous polymerization should not occur.

#### 6. HEALTH HAZARD INFORMATION

**TOXICITY INFORMATION:** This information pertains to the following ingredient(s) individually and not to the product as marketed. Included will be any data which emphasize the potential effects that may occur with the occupational handling (by inhalation or by dermal or ocular contact) of this product.

##### Premoxine HCl USP

Use may cause excitation of the CNS which is manifested by restlessness, excitement, nervousness, dizziness, nausea, vomiting, blurred vision, ringing in the ears, muscle twitching and tremors, and convulsions. This excitation may be transient and followed by depression with drowsiness and respiratory failure. May also cause lowered blood pressure and slowed heartbeat. Numbness of the tongue and mouth may occur as an early sign of systemic toxicity.

A sensitizer; allergic reactions may occur after repeated handling or topical use.

##### Ethyl Alcohol

Rat oral LD<sub>50</sub>: 7060 mg/kg. Mouse oral LD<sub>50</sub>: 3450 mg/kg. Rat inhalation LC<sub>10</sub>: 20000 ppm/10 hr. Rabbit dermal LC<sub>10</sub>: 20000 mg/kg.

In humans, exposure to more than 1000 ppm may cause headache and irritation of eyes, nose, and throat; if prolonged, may also cause drowsiness, lassitude, loss of appetite and inability to concentrate. Above 5000 ppm, exposure may cause eye and mucous membrane irritation, stupor, fatigue, and sleepiness.

A skin and eye irritant in rabbits.

Although unlikely to occur through occupational exposure, ingestion may result in gastrointestinal disturbances, nausea, and vomiting.

##### Glycerin USP, Special

Rat oral LD<sub>50</sub>: 12600 mg/kg. Mouse oral LD<sub>50</sub>: 4090 mg/kg.

A mild skin and eye irritant in rabbits. As a mist, it is a nuisance particulate and inhalation irritant.

Hc #78  
P-3

MATERIAL SAFETY DATA SHEET

Issued: 09/27/93

MSDS # 6025.1

--- 6. HEALTH HAZARD INFORMATION continued from page 2 ---

Although unlikely to occur through occupational exposure, ingestion may cause headache, nausea, and vomiting.

Refer to package insert for further information.

7. FIRST AID PROCEDURES

THERAPEUTIC CLASS: Local Analgesic Agent

Eyes: Flush with water for 15 minutes.

Skin: Wash with soap and water until free of residue.

Inhalation: NA

Ingestion: Seek medical attention.

Other: For additional first aid information, call (201) 540-2000.

8. WORKPLACE PRECAUTIONS / CONTROLS

Handling/Storage Precautions: STORE AS STATED IN PRODUCT LABELING.

Material should be handled in such a way as to avoid eye contact. Should contact with eyes occur, flush with water promptly.

9. SPILL & LEAK / ENVIRONMENT / SHIPPING

Procedures for Spill or Leak: Wipe or mop up spilled material. Wash all contaminated surfaces with soap and water. Place waste in appropriate container for future disposal.

Waste Management/Disposal: Dispose of in accordance with local, state and federal regulations or the authority having jurisdiction. Incineration in a permitted incinerator is the preferred disposal method.

SHIPPING REQUIREMENTS AND LIMITATIONS

ID/UN No: NA

DOT Hazard Class: NA

DOT Shipping Name: Non-regulated

DOT Labels/Placards: NA

Packaging Group: NA

Markings: NA

Container Specifications: NA

Shipping Limitations: NA