



MATERIAL SAFETY DATA SHEET

Section 1 – Product and Company Information

Universal Remover Wipes for Adhesives and Barriers

Product Code: 7760

Product CAS Number: Mixture

Company Information:

Hollister Incorporated
2000 Hollister Drive
Libertyville, IL 60048

Product Safety Information:

Contact : Anne Riba
Phone: (847)680-1000

Section 2 – Hazards Identification

<u>Hazardous Component</u>	<u>CAS Number</u>	<u>%</u>	<u>Type of Hazard</u>
Ethanol	64-17-5	59	Flammable
Propylene Glycol Monomethyl Ether	107-98-2	10	Health
Ethyl Acetate	141-78-6	8	Flammable

Section 3 – Composition / Information on Ingredients

Stearic Acid	Proprietary Fragrance
Ethanol	Ethyl Acetate
Dimethylsiloxane Cyclic Tetramer	Decahydronaphthalene
Propylene Glycol Monomethyl Ether	

Section 4 – First Aid Measures

Eye / Skin Contact:	In case of contact with eyes, immediately flush with water for at least 15 minutes. Consult a physician. In case of skin irritation, discontinue contact and flush skin with water.
Excessive Inhalation:	Remove from exposure to fresh air. Consult a physician if necessary.



Section 5 - Fire Fighting Measures

5.1 Flammable Properties:

Flash Point:	50°F (as mixture) – Tag Closed Cup Method
Flammability Limits:	
LFL –	3.3% as Ethanol
UFL –	19.0% as Ethanol

5.2 Extinguishing Media

Water, Foam, Carbon Dioxide, Dry Chemical

5.3 Protection of Firefighters

In case of fire, wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

Section 6 – Accidental Release Measures

No special actions to be taken for spills.

Section 7 – Handling and Storage

Avoid contact with eyes.

Keep away from heat, sparks and flames

Use only with adequate ventilation.

Avoid contact with irritated or excoriated skin or directly over open cuts or sores.

Section 8 – Exposure Control / Personal Protection

Exposure Guidelines:	None established for mixture.
Ventilation:	Use only with adequate ventilation.
Eye Protection:	None anticipated
Skin Protection:	None anticipated
Respiratory Protection:	None anticipated



Section 9 – Physical and Chemical Properties

Appearance / Physical State / Odor:	Light yellow to green transparent liquid with flowery sweet solvent odor
Boiling Point:	81°C as mixture
Vapor Pressure:	18 mm Hg at 32°F
Vapor Density:	> 1 (heavier than air)
Flash Point:	50°F as mixture
Specific Gravity:	0.84 as mixture
Solubility in Water:	Dispersible

Section 10 – Stability and Reactivity

Chemical Stability:	Material is stable.
Conditions to Avoid:	Avoid heat, sparks and open flames.
Incompatible Materials:	Avoid oxidizing materials.
Hazardous Decomposition Products:	Burning can product carbon dioxide, carbon monoxide and oxides of silicon.
Possibility of Hazardous Reactions:	Will not occur.

Section 11 – Toxicological Information

Acute and chronic toxic reactions are not anticipated as a result of use following package instructions.

Contains no known carcinogens or materials under investigation as potential carcinogens.

Section 12 – Ecological Information

Not Available.



Section 13 – Disposal Considerations

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

Section 14 – Transport Information

The data provided in this section is for information only. Please apply the appropriate regulations to properly classify your shipment.

U.S. DOT Hazard Class: Not Regulated as Hazardous
UN Number: Not Regulated as Hazardous

Section 15 – Regulatory Information

Not Available

Section 16 – Other Information

Not Applicable

The information contained in this Material Safety Data Sheet (MSDS) is offered as a guide to the handling of this specific material. It has been prepared in good faith by technically knowledgeable personnel and is believed to be correct as of the effective date listed. Hollister Incorporated shall not be held liable for any damages, losses or injuries of any nature which may result from the use of or reliance upon any information contained in this MSDS.