



MATERIAL SAFETY DATA SHEET

Product Name: Sodium Chloride Injection, Concentrate

1. CHEMICAL PRODUCT AND COMPANY INFORMATION

Manufacturer Name And Address

Hospira, Inc.
275 North Field Drive
Lake Forest, Illinois 60045
USA

-See attached item listing-

**Emergency Telephone
Hospira, Inc., Non-Emergency**

CHEMTREC: 800-424-9300
224-212-2055

Product Name

Sodium Chloride Injection, Concentrate

Synonyms

Table salt.

2. COMPOSITION/INFORMATION ON INGREDIENTS

**Active Ingredient Name
Chemical Formula**

Sodium Chloride
NaCl

Component	Approximate Percent by Weight	CAS Number	RTECS Number
Sodium Chloride	1 to 24	7647-14-5	VZ4725000

Non-hazardous ingredients include water for injection. Hazardous ingredients present at less than 1% may include hydrochloric acid which is used to adjust the pH.

3. HAZARD INFORMATION

Emergency Overview

Sodium Chloride Injection, Concentrate, contains sodium chloride. In clinical use, sodium chloride is used in the management of deficiencies of sodium and chloride ions in salt-losing conditions. In the workplace, concentrated sodium chloride solutions may be irritating to the eyes and respiratory tract. Possible target organs may include the eyes, cardiovascular system, gastrointestinal system and nervous system.

Occupational Exposure Potential

Information on the absorption of this product via inhalation or skin contact is not available. Avoid liquid aerosol generation and skin contact.

Signs and Symptoms

No signs or symptoms from occupational exposure are known. In clinical use, gastrointestinal effects associated with acute oral ingestion of excessive amounts of sodium chloride include nausea, vomiting, diarrhea, and abdominal cramps. Excessive use of chloride salts may cause a loss of bicarbonate with an acidifying effect. Retention of excess sodium and accumulation of excess water may also occur and may lead to pulmonary and peripheral edema. Hypernatremia has rarely occurred with the use of saline for induction of emesis or for gastric lavage. However, hypernatremia may occur after inappropriate intravenous use of hypertonic saline. The most serious effect of hypernatremia is dehydration of the brain which causes somnolence and confusion progressing to convulsions, coma, respiratory failure, and death. Other symptoms include thirst, reduced salivation and lachrymation, fever, sweating, tachycardia, hypertension or hypotension, headache, dizziness, restlessness, irritability, weakness, and muscular twitching and rigidity.

**Medical Conditions
Aggravated by Exposure
Carcinogen Lists:**

Pre-existing cardiovascular or gastrointestinal ailments.

IARC: Not listed

NTP: Not listed

OSHA: Not listed

Product Name: Sodium Chloride Injection, Concentrate**4. FIRST AID MEASURES**

Eye Contact	Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Skin Contact	Remove from source of exposure. Flush with copious amounts of water. If irritation persists or signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Inhalation	Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.
Ingestion	Remove from source of exposure. If signs of toxicity occur, seek medical attention. Provide symptomatic/supportive care as necessary.

5. FIRE FIGHTING MEASURES

Flammability	None anticipated for this aqueous product.
Fire & Explosion Hazard	None anticipated for this aqueous product.
Extinguishing Media	As with any fire, use extinguishing media appropriate for primary cause of fire.
Special Fire Fighting Procedures	No special provisions required beyond normal fire fighting equipment such as flame and chemical resistant clothing and self contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Spill Cleanup and Disposal	Isolate area around spill. Put on suitable protective clothing and equipment as specified by site spill procedures. Absorb the liquid with suitable material and clean affected area with soap and water. Dispose of spill materials according to the applicable federal, state, or local regulations.
-----------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

7. HANDLING AND STORAGE

Handling	No special handling required under conditions of normal product use.
Storage	No special storage required for hazard control. For product protection, follow USP controlled room temperature storage recommendations noted on the product case label, the primary container label, or the product insert.
Special Precautions	Protect from freezing, light, and extreme heat.

Product Name: Sodium Chloride Injection, Concentrate



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Component	Exposure limits			
	OSHA-PEL	ACGIH-TLV	AIHA WEEL	Hospira EEL
Sodium Chloride	8-hr TWA: Not Established	8-hr TWA: Not Established	8-hr TWA: Not Established	8-hr TWA: Not Established

Notes: OSHA PEL: US Occupational Safety and Health Administration – Permissible Exposure Limit
 ACGIH TLV: American Conference of Governmental Industrial Hygienists – Threshold Limit Value.
 AIHA WEEL: Workplace Environmental Exposure Level
 EEL: Employee Exposure Limit.
 TWA: 8-hour Time Weighted Average.
 STEL: 15-minute Short Term Exposure Limit.

Respiratory Protection Respiratory protection is normally not needed during intended product use. However, if the generation of aerosols is likely, and engineering controls are not considered adequate to control potential airborne exposures, the use of an approved air-purifying respirator with a HEPA cartridge (N95 or equivalent) is recommended. Personnel who wear respirators should be fit tested and approved for respirator use as required.

Skin Protection If skin contact with the product formulation is likely, the use of latex or nitrile gloves is recommended.

Eye Protection Eye protection is normally not required during intended product use. However, if eye contact is likely to occur, the use of chemical safety goggles (as a minimum) is recommended.

Engineering Controls Engineering controls are normally not needed during the normal use of this product.

9. PHYSICAL/CHEMICAL PROPERTIES

Appearance/Physical State	A sterile, non-pyrogenic, concentrated solution
Odor	NA
Odor Threshold:	NA
pH:	pH 4.8 (4.5 to 7.0)
Melting point/Freezing point:	NA
Initial Boiling Point/Boiling Point Range	NA
Evaporation Rate:	NA
Flammability (solid, gas):	NA
Upper/Lower Flammability or Explosive Limits:	NA
Vapor Pressure	NA
Vapor Density (Air =1)	NA
Evaporation Rate	NA
Specific Gravity	NA
Solubility	Freely soluble in water; practically insoluble in dehydrated alcohol
Partition coefficient: n-octanol/water:	NA
Auto-ignition temperature	NA
Decomposition temperature	NA

Product Name: Sodium Chloride Injection, Concentrate**10. STABILITY AND REACTIVITY**

Reactivity	Not determined. None anticipated from this product.
Chemical Stability	Stable under standard use and storage conditions.
Hazardous Reactions	Not determined
Conditions to avoid	Not determined
Incompatibilities	Not determined
Hazardous Decomposition Products	Not determined. During thermal decomposition, it may be possible to generate irritating vapors and/or toxic fumes of hydrogen chloride and sodium oxide.
Hazardous Polymerization	Not anticipated to occur with this product.

11. TOXICOLOGICAL INFORMATION**Acute Toxicity**

Not determined for the product formulation. Information for the ingredient is as follows:

Ingredient(s)	Percent	Test Type	Route of Administration	Value	Units	Species
Sodium Chloride	100	LD50	Oral	3000	mg/kg	Rat
Sodium Chloride	100	LD50	Oral	4000	mg/kg	Mouse
Sodium Chloride	100	LD50	Dermal	> 10,000	mg/kg	Rabbit
Sodium Chloride	100	LC50(1hr)	Inhalation	> 42,000	mg/m ³	Rat
Sodium Chloride	100	LD50	Intraperitoneal	2600 2602	mg/kg mg/kg	Rat Mouse
Sodium Chloride	100	LD50	Intravenous	645	mg/kg	Mouse

LD 50: Dosage that produces 50% mortality.

Aspiration Hazard	None anticipated from normal handling of this product.
Dermal Irritation/Corrosion	None anticipated from normal handling of this product. In animal studies, sodium chloride was reported to be a mild skin irritant. However, inadvertent contact of this product with skin is not anticipated to produce irritation.
Ocular Irritation/Corrosion	None anticipated from normal handling of this product. In animal studies, sodium chloride was reported to be a mild to moderate irritant. Inadvertent contact of this product with eyes may produce irritation with redness and discomfort.
Dermal or Respiratory Sensitization	None anticipated from normal handling of this product.
Reproductive Effects	Physiological sodium chloride solutions are often used as negative controls in teratology experiments and do not appear to produce adverse effects on embryological development. Administration of sodium chloride has been reported not to be teratogenic in rats, hamsters, and pigs. Subcutaneous injection of 1900 or 2500 mg sodium chloride in pregnant mice increased the incidence of minor skeletal anomalies in the offspring. Increased neonatal body weight was reported in offspring of rats fed high (8%) salt diets when compared to the offspring of dams fed low salt diets.
Mutagenicity	Sodium chloride was negative in the Ames test, with and without metabolic activation. Sodium chloride was positive for genotoxicity in an <i>in vitro</i> mouse lymphoma assay.

Product Name: Sodium Chloride Injection, Concentrate**11. TOXICOLOGICAL INFORMATION: continued**

Carcinogenicity	The carcinogenic potential of sodium chloride has not been fully evaluated.
Target Organ Effects	Possible target organs may include the eyes, cardiovascular system, gastrointestinal system and nervous system.

12. ECOLOGICAL INFORMATION

Aquatic Toxicity	Not determined for product. LC50(96hr, flow through) = 9675-11,100 mg/L in freshwater fish LC50(96hr, static) = 7341-17,550 mg/L in freshwater fish LC50(24hr, static) = 13,750 - 14,125 mg/L in freshwater fish LC50(48 hr) = 3310 mg/L in Daphnia magna.
-------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Persistence/Biodegradability	Not determined for product.
-------------------------------------	-----------------------------

Bioaccumulation	Not determined for product.
------------------------	-----------------------------

Mobility in Soil	Not determined for product.
-------------------------	-----------------------------

Notes:

1. EC50: Concentration in water that produces 50% mortality in Daphnia sp.
2. LC50: Concentration in water that produces 50% mortality in fish.
3. EC50: Concentration in water that produces 50% inhibition of growth in algae.

13. DISPOSAL CONSIDERATIONS

Waste Disposal	All waste materials must be properly characterized. Further, disposal should be performed in accordance with the federal, state or local regulatory requirements.
Container Handling and Disposal	Dispose of container and unused contents in accordance with federal, state and local regulations.

14. TRANSPORTATION INFORMATION

DOT STATUS:	Not regulated
Proper Shipping Name:	NA
Hazard Class:	NA
UN Number:	NA
Packing Group:	NA
Reportable Quantity:	NA

ICAO/IATA STATUS	Not regulated
Proper Shipping Name:	NA
Hazard Class:	NA
UN Number:	NA
Packing Group:	NA
Reportable Quantity:	NA

IMDG STATUS	Not regulated
Proper Shipping Name:	NA
Hazard Class:	NA
UN Number:	NA
Packing Group:	NA
Reportable Quantity:	NA

Notes: DOT - US Department of Transportation Regulations

Product Name: Sodium Chloride Injection, Concentrate**15. REGULATORY INFORMATION**

TSCA Status	Exempt. However, sodium chloride is listed on the TSCA inventory.
CERCLA Status	Not listed
SARA 302 Status	Not listed
SARA 313 Status	Not listed
RCRA Status	Not listed
PROP 65 (Calif.)	Not listed

Notes: TSCA, Toxic Substance Control Act; CERCLA, US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act; SARA, Superfund Amendments and Reauthorization Act; RCRA, US EPA, Resource Conservation and Recovery Act; Prop 65, California Proposition 65

U.S. OSHA Classification Eye Irritant
Target Organ Toxin

GHS Classification

Hazard Class	Acute Oral Toxicity	Eye Irritation	Target Organ Toxicity
Hazard Category	Unclassified	2B	2

Symbol**Signal Word**

Warning

Warning

Hazard Statement

Causes eye irritation

May cause damage to the eyes, cardiovascular system, gastrointestinal system and nervous system through prolonged or repeated exposure.

Prevention: Do not breathe mist or spray.

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical attention. Wash hands after handling.


Get medical attention if you feel unwell.

Product Name: Sodium Chloride Injection, Concentrate**15. REGULATORY INFORMATION: continued****EU Classification***

*Medicinal products are exempt from the requirements of the EU Dangerous Preparations Directive. Information provided below is for the pure substance sodium chloride.

Classification(s): Irritant

Symbol:



Indication of Danger Xi

Risk Phrases: R36/37 - Irritating to eyes and respiratory system

Safety Phrases: S23: Do not breathe vapor/spray
S24: Avoid contact with the skin
S25: Avoid contact with eyes
S37/39 Wear suitable gloves and eye/face protection.

16. OTHER INFORMATION**Notes:**

ACGIH TLV	American Conference of Governmental Industrial Hygienists – Threshold Limit Value
CAS	Chemical Abstracts Service Number
CERCLA	US EPA law, Comprehensive Environmental Response, Compensation, and Liability Act
DOT	US Department of Transportation Regulations
EEL	Employee Exposure Limit
IATA	International Air Transport Association
LD ₅₀	Dosage producing 50% mortality
NA	Not applicable/Not available
NE	Not established
NIOSH	National Institute for Occupational Safety and Health
OSHA PEL	US Occupational Safety and Health Administration – Permissible Exposure Limit
Prop 65	California Proposition 65
RCRA	US EPA, Resource Conservation and Recovery Act
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendments and Reauthorization Act
STEL	15-minute Short Term Exposure Limit
TSCA	Toxic Substance Control Act
TWA	8-hour Time Weighted Average

MSDS Coordinator: Global Occupational Toxicology
Date Prepared: September 15, 2005
Date Revised: October 23, 2008

Disclaimer:

The information and recommendations contained herein are based upon tests believed to be reliable. However, Hospira does not guarantee their accuracy or completeness NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE. Adjustment to conform to actual conditions of usage may be required. Hospira assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

	A	B	C	D	E
1	Status	Item Number	Mfg Abbv	Catalog Number	Description
2	DMF	239929	HOSPRA	196604	SODIUM CHLORIDE BACT, FTV 0.9%
3		243227	HOSPRA	196605	SODIUM CHLORIDE BACT, FTV 0.9%
4		239930	HOSPRA	196607	SODIUM CHLORIDE BACT, FTV 0.9%
5		442295	HOSPRA	196614	SODIUM CHLORIDE BACT, FTV 0.9%
6	DGM	456009	HOSPRA	191832	SODIUM CHLORIDE, CJECT 0.9% LL
7		617602	HOSPRA	191832	SODIUM CHLORIDE, CJECT 0.9% LL
8		559077	HOSPRA	191833	SODIUM CHLORIDE, CJECT 0.9% 3M
9	DGM	387659	HOSPRA	191833	SODIUM CHLORIDE, CJECT 0.9% 3M
10		242064	HOSPRA	488812	SODIUM CHLORIDE, FTV LS 0.9% 1
11		236173	HOSPRA	488810	SODIUM CHLORIDE, FTV PF 0.9% 1
12		239940	HOSPRA	488820	SODIUM CHLORIDE, FTV PF 0.9% 2
13		239976	HOSPRA	488850	SODIUM CHLORIDE, FTV PF 0.9% 5
14		336459	HOSPRA	210202	SODIUM CHLORIDE, FTV 0.9% LS 2
15		336460	HOSPRA	210205	SODIUM CHLORIDE, FTV 0.9% 5ML
16	DGM	471773	HOSPRA	488850	SODIUM CHLORIDE, FTV 0.9% 50ML
17		282844	HOSPRA	665773	SODIUM CHLORIDE, FTV 14.6% 20M
18	DMF	468000	HOSPRA	E010075	SODIUM CHLORIDE, INJ FLUSH 0.9
19		416077	HOSPRA	713266	SODIUM CHLORIDE, PGBCCK 0.45% 5
20	DGM	541644	HOSPRA	710167	SODIUM CHLORIDE, PIGGYBK 0.9%
21	DMF	663662	HOSPRA	158411	SODIUM CHLORIDE, SOL IV 0.9% 1
22		416081	HOSPRA	713267	SODIUM CHLORIDE, SOL 0.45% 100
23	DGM	337177	HOSPRA	773020	SODIUM CHLORIDE, SOL 0.45% 25M
24		225911	HOSPRA	773036	SODIUM CHLORIDE, SOL 0.45% 50M
25		711359	HOSPRA	798411	SODIUM CHLORIDE, SOL 0.9% 100M
26	DGM	517488	HOSPRA	798437	SODIUM CHLORIDE, SOL 0.9% 100M
27		470428	HOSPRA	710167	SODIUM CHLORIDE, SOL 0.9% 100M
28	DMF	405482	HOSPRA	158301	SODIUM CHLORIDE, SOL 0.9% 150M
29		209188	HOSPRA	798420	SODIUM CHLORIDE, SOL 0.9% 25ML
30		711360	HOSPRA	798406	SODIUM CHLORIDE, SOL 0.9% 50ML
31		315841	HOSPRA	798436	SODIUM CHLORIDE, SOL 0.9% 50ML
32	DMF	208850	HOSPRA	158401	SODIUM CHLORIDE, SOL/150ML 0.9
33		225102	HOSPRA	798413	SODIUM CHLORIDE, SOLUTION 0.9%
34	DGM	450262	HOSPRA	E010075	SODIUM CHLORIDE, SYR 0.9% FLUS
35	DMF	528094	HOSPRA	E010055	SODIUM CHLORIDE, SYR 0.9% FLUS
36	SKU	717825	HOSPRA	107835	SODIUM CHLORIDE, SYR 0.9% FLUS
37	DGM	479264	HOSPRA	E010050	SODIUM CHLORIDE, SYR 0.9% FLUS
38	DGM	524503	HOSPRA	E010050	SODIUM CHLORIDE, SYR 0.9% FLUS
39	DGM	444967	HOSPRA	536505	SODIUM CHLORIDE, SYR 0.9% FLUS
40	SKU	319836	HOSPRA	191835	SODIUM CHLORIDE, SYR 0.9% LL 5
41	SKU	503252	HOSPRA	E010020	SODIUM CHLORIDE, SYR 9% 10ML (
42	SKU	711523	HOSPRA	107820	SODIUM CHLORIDE, SYR/12ML 0.9%
43	SKU	711521	HOSPRA	107833	SODIUM CHLORIDE, SYR/12ML 0.9%
44	SKU	711522	HOSPRA	107835	SODIUM CHLORIDE, SYR/12ML 0.9%
45	DGM	413900	HOSPRA	018110202	SODIUM CHLORIDE, VL 0.9% 22GX1
46	SKU	337147	HOSPRA	666075	SODIUM CHLORIDE, VL 2.5MEQ/ML
47		292821	HOSPRA	113002	SODIUM CHLORIDE, VL 4MEQ/ML 25
48	DGM	506826	HOSPRA	210205	SODIUM CHLORIDE, 9% 5ML LS (25