

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: 2160
IDENTITY: SLEEK

Revision Date: 03/05/2010

Section I

Manufacturer's Name: QUESTVAPCO CORPORATION
Address: P.O. BOX 624
BRENHAM
State: TX Zip Code: 77834

Telephone Numbers:
Emergency:
800/255-3924
Information:
713/896-8188

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 1 HEALTH: 1 PERSONAL PROTECT:A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
HYDROCARBON, ISOPARAFFNIC	64741-66-8	281ppm	n/a		—
ISOPARAFINIC HYDROCARBON	64742-47-8	400 PPM	400 PPM		—
PROPANE/N-BUTANE	68476-86-8	N/A	1000ppm	N/A	—
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 212+ Specific Gravity (water=1) 0.93
Vapor Pressure(mm Hg) 13.2 Melting Point: N/A
Vapor Density(AIR=1) >1 Evaporation Rate: 1
Solubility in Water: 70% (Butyl Acetate=1)
Appearance and Odor: OFF-WHITE SLIGHTLY VISCOUS CREAM WITH LEMON ODOR.

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point(Method Used):NA Flammable Limits: LEL:N/A UEL: N/A
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER
Special Fire Fighting Procedures: WEAR SELF CONTAINED BREATHING APPARATUS WHEN INDICATED

Unusual Fire and Explosion Hazards: CONTENTS UNDER PRESSURE. EXPOSURE TO TEMPERATURES ABOVE 120 F MAY CAUSE BURSTING.

Section V: REACTIVITY DATA

PRODUCT NUMBER: 2160

Stability: Unstable: Conditions to avoid: TEMPERATURES ABOVE 120 F
 Stable: X HOT SURFACES
Incompatibility (Materials to Avoid): STRONG OXIDIZERS, ALKALIES, ACIDS.

Hazardous Decomposition or Byproducts: NONE KNOWN

Hazardous Polymerization: May Occur: Will Not Occur: X
Conditions to Avoid: NONE

Section VI: HEALTH HAZARD DATA

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES
Health Hazards (Acute and Chronic):
EYES: MAY CAUSE MILD TO STRONG IRRITATION IF IN EYES. INHALATION: EXCESSIVE
INHALATION MAY CAUSE DIZZINESS AND/OR HEADACHE. SKIN: MAY CAUSE SLIGHT
IRRITATION. INGESTION: MAY CAUSE NAUSEA, VOMITING OR DIARRHEA.
Carcinogenicity:
NTP: NO IARC Monographs: NO OSHA Reg: NO
Signs and Symptoms of Exposure: SEE HEALTH HAZARD ABOVE

Medical Conditions Generally Aggravated by Exposure: NONE KNOWN

Emergency and First Aid Procedures: INHALATION: REMOVE TO FRESH AIR. EYES:
FLUSH WITH WATER FOR 15 MINUTES. CONSULT PHYSICIAN. SKIN: WASH AFFECTED
AREA WITH SOAP AND WATER. INGESTION: CONSULT PHYSICIAN.

Section VII: PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be Taken in Case Material is Released or Spilled: MOP OR WIPE UP
SPILL. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL GUIDELINES.

Waste Disposal Method: WRAP CONTAINER AND PLACE IN TRASH COLLECTION. DO
NOT PUNCTURE OR INCINERATE CONTAINER.

Precautions to be Taken in Handling and Storing: STORE IN A COOL, DRY
AREA. KEEP AWAY FROM HEAT, FLAMES, SPARKS, AND TEMPERATURES ABOVE 120F.

Other Precautions: N/A

Section VIII: CONTROL MEASURES

Respiratory Protection: N/A
Ventilation:
Local Exhaust: ADEQUATE
Mechanical: N/A
Special: N/A
Other: N/A
Protective Gloves: N/A
Eye Protection: SAFETY GLASSES ARE RECOMMENDED WHENEVER CHEMICALS ARE USED.
Other Protective Clothing or Equipment:
N/A
Work/Hygienic Practices:
WASH HANDS AFTER USE.