

Mark 11 Disinfectant Cleaner

pH NEUTRAL DISINFECTANT, CLEANER, MILDEWSTAT, FUNGICIDE, SANITIZER (NONFOOD CONTACT SURFACES), VIRUCIDE*, DEODORIZER

DISINFECTANT

MARK 11 is a phosphate free, pH neutral formulation designed to provide effective cleaning, deodorizing and disinfection in hospitals, nursing homes, schools, food establishments, factories, office buildings, hotels, motels, transportation terminals, athletic and recreational facilities, where housekeeping is of prime importance in controlling the hazard of cross contamination on treated surfaces. **MARK 11** has been formulated to aid in the reduction of cross-contamination on treated surfaces not only in hospitals, but also in schools, institutions and industry. **MARK 11** cleans, shines, deodorizes and disinfects all hard non-porous surfaces listed on the label: floors, washable walls, sinks, countertops, toilet bowls, tables, chairs and telephones. It inhibits the growth of mold and mildew, leaving bathrooms and kitchens clean and fresh smelling.

A quaternary based formulation. When used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, provides broad spectrum kill against HIV-1, VRE, VISA, GRE, E. coli 0157:H7, MRSA, Influenza A2, Avian Influenza A, HBV, HCV, Herpes Simplex Types 1 & 2, adenovirus type 2 vaccinia viruses and many more. Fungicidal against Trichophyton Mentagrophytes (Athletes Foot Fungus). Use 2 ounces per gallon of water for 850 ppm disinfectant concentration.

ST-No.	Case Size	Case Weight
ST-735	72 x 2 fl. oz. packs	11 pounds
ST-738	36 x 4 fl. oz. packs	11 pounds
ST-740	144 x 0.5 fl. oz. packs	6 pounds
ST-740E	10 x 10 x 0.5 fl. oz. packs	7 pounds
ST-747	10 x 10 fl. oz. packs	8 pounds
ST-2020	4 x 1 gallon case	37 pounds
ST-9950	12 x 32 oz empty spray bottles	

Directions For Use

It is a violation of Federal Law to use **MARK 11** in a manner inconsistent with its labeling.

MARK 11 is not for use on medical device surfaces. **MARK 11** is not for use to disinfect, sanitize or clean eating equipment, glassware or dishware.

DISINFECTION PREPARATION OF USE SOLUTION:

For water hardness up to 200 ppm to disinfect hard, non-porous surfaces mix a 1/2-ounce packet with 1 quart of water. Treated surfaces must remain wet for 10 minutes.

Disinfection/Fungicidal/*Virucidal Directions:

Apply use solution to hard inanimate, non-porous surfaces thoroughly wetting surfaces as recommended and required, with a cloth, mop, sponge or sprayer. For sprayer applications use a coarse spray device. Spray 6-8 inches from surface and rub with brush, sponge or cloth. Do not breathe spray.

Add 1/2 ounce per quart (16 milliliters per liter) of water to disinfect hard, non-porous surfaces. Treated surfaces must remain wet for 10 minutes. Prepare a fresh solution at least daily or when use dilution becomes diluted or soiled.

Non-Acid Toilet Bowl and Urinal Disinfection/Cleaner Directions:

Remove gross filth prior to disinfection.

From use solution: Empty toilet bowl or urinal and apply 1/2 ounce per quart (16 milliliters per liter) use solution to exposed surfaces including under the rim with a cloth, mop, sponge or sprayer, brush or swab thoroughly and allow to stand for 10 minutes and flush.

Cleaning/Deodorizing Directions:

Add 1/2 ounce per quart (16 milliliters per liter) of water to clean and deodorize windows, mirrors and non-food contact glass surfaces. When using a coarse spray device, spray 6-8 inches from surface. Rub with sponge or cloth. Do not breathe spray.



Mark 11 Disinfectant Cleaner
ST-740, 0.5 fl. oz. pack

Chemical Characteristics

Abrasive	no
Appearance	red liquid
Biodegradable	yes
Corrosive (concentrate)	yes
Fragrance	fresh scent
Non-Acid	yes
Non-Butyl	yes
Non-Flammable	yes
Non-Toxic	no
NSF Certified	D2
pH (concentrate)	6.0-8.0
(use dilution (1:64))	7.0±0.5
Phosphate-Free	yes
Sara 313 notification required	no
VOC Compliant	yes

Sanitizing Non-Food Contact Surface Directions

Preparation of sanitizer use solution: Add 1/2 ounce (of Mark 11) per quart of water (or equivalent use dilution) to sanitize hard, non-porous environmental surfaces.

Apply sanitizer use solution to pre-cleaned, hard, non-porous surfaces with a cloth, mop, sponge, sprayer or by immersion.

For sprayer applications, use a coarse pump or trigger sprayer. Spray 6-8 inches from surface and rub with brush, sponge or cloth. Do not breathe spray.

Treated surfaces must remain wet for 3 minutes, then wipe with sponge, mop or cloth or allow to air dry.

This product not for use to disinfect, sanitize or clean eating utensils, glassware and dishes.

Active Ingredients

Alkyl (C ₁₄ 60%, C ₁₆ 30%, C ₁₂ 5%, C ₁₈ 5%)	
dimethyl benzyl ammonium chloride	2.7125%
Alkyl (C ₁₂ 68%, C ₁₄ 32%) dimethyl	
ethylbenzyl ammonium chloride	2.7125%
INERT INGREDIENTS:	94.5750%
TOTAL:	100.0000%

EPA Reg. No. 10324-120-3640
EPA Est. No. 3640-WI-1



STEARNS PACKAGING CORPORATION

4200 SYCAMORE AVENUE (53714) • P.O. Box 3216, MADISON, WISCONSIN 53704-0216

Telephone: (800) 655-5008 • (608) 246-5150 • Fax: (608) 246-5149

E-mail: stearns@stearnspkg.com • <http://www.stearnspkg.com>

MATERIAL SAFETY DATA SHEET

SECTION 1 – PRODUCT/MANUFACTURER'S IDENTITY

Product Name: Mark 11
Synonyms: ST-735, ST-738, ST-740, ST-740E, ST-745, ST-747, ST-2020
Company: Stearns Packaging Corporation
4200 Sycamore Avenue (53714)
PO Box 3216
Madison, WI 53704-0216
Phone: 800-655-5008
Fax: 608-246-5149

Formula ID Number: SL30
MSDS File Name: MARK 11
EPA Reg #: 10324-120-3640
DOT Hazard Class: None
DOT Shipping Name: Disinfectant, NOI, liquid.
Item 57100, Sub. 3, Class 85
NSF Certified: D2, 7/20/04

Emergency Contact: CHEM-TEL, 800-255-3924

Concentrate		In Dilution	HAZARD RATING
1	Flammability	0	
2	Health	1	
0	Reactivity	0	
None	Special Hazard	None	
			4 = Extreme 3 = High 2 = Moderate 1 = Slight 0 = Insignificant

Abbreviation Key: N.A.=Not Applicable,
N.D.=Not Determined

SECTION 2 – HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CHEMICAL IDENTIFICATION	CAS NO.	HAZARD	OSHA PEL(ppm)	ACGIH TLV(ppm)	%(Optional)
Alkyl dimethyl benzyl ammonium chloride (C12-18)	68391-01-5	Corrosive			2 - 4
Alkyl dimethyl ethyl benzyl ammonium chloride (C12-14)	68956-79-6	Corrosive			2 - 4
Ethanol	64-17-5	Flammable	1000 (TWA)	1000 (TWA)	<1

SARA Section 313 Title III Notification Required: No

SECTION 3 – PHYSICAL DATA

Appearance and Odor: Red liquid, fresh scent	Solubility in water: Complete Boiling Point: Over 210°F (over 99°C) Melting Point: N.A. Pour Point: N.D.	Vapor Pressure (mm Hg): N.D. Vapor Density (Air=1): N.D. Evaporation Rate (Butyl acetate=1): N.D. VOC Content: N.D.	pH (Concentrate): 6.0 ± 8.0 pH (1:64 Dilution): 7.0 ± 0.5 Specific Gravity: 1.008 Viscosity: 21.72 cs @ 24°C
---	---	--	---

SECTION 4 – FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method: Over 210°F Flammable Limits: LEL: N.D. UEL: N.D. Extinguishing Media: Dry chemical, foam, CO ₂ , water fog. Solid water streams may spread burning liquid.	Special Fire Fighting Procedures: Firefighters should wear full protective clothing including self-contained breathing apparatus. Cool fire exposed containers with spray. Unusual Fire & Explosion Hazards: Irritating and toxic gases or fumes may be released during a fire.
--	--

SECTION 5 – REACTIVITY DATA

Chemical Stability: Stable: <input checked="" type="checkbox"/> Unstable: <input type="checkbox"/> Conditions to Avoid: Heat and strong oxidizing agents. Incompatibility (Materials to Avoid): Strong oxidizing agents (may result in fire), reducing agents, anionic soaps and detergents.	Hazardous Polymerization: May Occur <input type="checkbox"/> Will Not Occur <input checked="" type="checkbox"/> Hazardous Decomposition or By-Products: Carbon monoxide, carbon dioxide, and toxic hydrogen chloride vapors.
--	---

SECTION 6 – HEALTH HAZARD DATA/FIRST AID PROCEDURES

Health Hazards (Acute and Chronic): Ingestion of ethanol by pregnant women can cause reproductive toxicity to the fetus. Signs and Symptoms of Exposure: <u>Ingestion</u> : Ingestion can cause gastrointestinal irritation, nausea, vomiting, and diarrhea and possibly death. Harmful if swallowed. <u>Skin</u> : Causes corrosive burns. Brief exposures may cause irritation and defatting of the skin. Exposures not promptly washed off may lead to toxic effects similar to ingestion. Harmful if absorbed through skin. <u>Inhalation</u> : Mists and vapors can irritate the throat and respiratory tract. High vapor concentrations may cause central nervous system effects. Symptoms may include headaches, dizziness, and drowsiness. Harmful if inhaled. <u>Eyes</u> : Causes burns and may result in permanent injury to eyes including blindness. Medical Conditions Aggravated by Exposure: No data available. Carcinogenicity: IARC Monographs? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NTP? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> OSHA Regulated? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.	<u>Emergency and First Aid Procedures</u> : <u>Ingestion</u> : Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. <u>Skin</u> : Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. <u>Inhalation</u> : If symptoms are experienced, move victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. <u>Eyes</u> : Immediately flush eyes with water for at least 15 minutes, while holding eyelids open. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Seek medical attention at once.
--	---

SECTION 7 – PREVENTATIVE AND CONTROL MEASURES

Ventilation: Provide adequate local exhaust ventilation (explosion proof) to maintain worker exposure below exposure limits. Skin Protection: Use impervious gloves (rubber or neoprene). Wear suitable protective clothing. Eye Protection: Wear chemical goggles. Use face shield if splashing is possible. Respiratory Protection: If exposure limits are exceeded or if irritation is experienced, NIOSH approved respiratory protection should be worn. Ventilation and other forms of engineering controls are often the preferred means for controlling chemical exposures. Respiratory protection may be needed for non-routine or emergency situations. Other Precautions: Eye wash fountain and emergency showers are recommended. Keep out of the reach of children.	Steps to be Taken if Material is Spilled or Released: Isolate spill or leak area immediately. Keep unauthorized personnel away. Stay upwind. Keep out of low areas where vapors may accumulate. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area.) Ventilate closed spaces before entering. All equipment used when handling the product must be grounded. Floor will be slippery. Do not touch or walk through spilled material. Stop leak if you can do it without risk. A vapor suppressing foam may be used to reduce vapors. Prevent entry into waterways, sewers, basements, or confined areas. Absorb or cover the dry earth, sand, or other non-combustible material and transfer to containers. Use clean non-sparking tools to collect absorbed material. For large spills, dike far ahead of liquid spill for later disposal. Water spray may reduce vapor but will increase foaming. Water may not prevent ignition in closed spaces. Waste Disposal: Comply with all local, state, and federal regulations. Consult your state DNR or the EPA for specific questions. Wastewater should never enter a fresh water body without treatment. Handling and Storage: Avoid contact with skin and eyes. Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet facilities. Wash thoroughly after work using soap and water. Keep container tightly closed and in a cool, well-ventilated place. Keep from freezing. Do not handle or store near an open flame, heat, or other sources of ignition. Prevent electrostatic charge buildup by using common bonding and ground techniques.
---	---

SECTION 8 – OTHER REGULATORY INFORMATION

State Right-to-Know lists:
Ethanol 64-17-5 AZ, CA, CAP65R, CT, FL, ID, MA, MN, NJ, PA, RI
Benzyl Chloride (trace impurity: <10ppm) AZ, CA, CAP65C, FL, IL, MA, MN, NJ, PA

This MSDS data relates only to the material designated and does not relate to its use with any other material or process. The data is believed to be accurate. However, since use conditions vary and are outside our control, Stearns Packaging Corporation makes no warranties, expressed or implied, and assumes no liability for failure to follow directions and safety precautions.

rev. 4/30/08