



# MATERIAL SAFETY DATA SHEET

## 1. Product and Company Identification

**Product number** 063  
**Product name** **Solvent Degreaser**  
**Effective date** 09-Apr-2008  
**Company information** Claire Manufacturing  
500 Vista Ave.  
Addison, IL 60101 United States  
**Company phone** General Assistance 630-543-7600  
**Emergency telephone US** 800-424-9300  
**Emergency telephone outside US** 703-527-3887  
**Version #** 04  
**Supersedes date** 25-Oct-2007

## 2. Hazards Identification

**Emergency overview** CONTENTS UNDER PRESSURE.  
Aerosol. Pressurized container may explode when exposed to heat or flame. May be ignited by heat, sparks or flames. Cancer hazard. Irritating to skin. Irritating to eyes. Irritating to respiratory system. Prolonged exposure may cause chronic effects.

**OSHA regulatory status** This product is considered hazardous under 29 CFR 1910.1200 (Hazard Communication).

**Potential health effects**

- Routes of exposure** Skin contact. Inhalation. Ingestion.
- Eyes** Causes eye irritation.
- Skin** Irritating to skin. Prolonged or repeated contact can result in defatting and drying of the skin which may result in skin irritation and dermatitis (rash).
- Inhalation** Intentional misuse by concentrating and inhaling the product can be harmful or fatal. Irritating to respiratory system. Prolonged inhalation may be harmful.
- Ingestion** Exposure by ingestion of an aerosol is unlikely. May cause delayed lung damage. Components of the product may be absorbed into the body by ingestion.

**Target organs** Kidney. Central nervous system. Liver. Lungs.

**Chronic effects** Liver injury may occur. Kidney injury may occur. May cause central nervous system disorder (e.g., narcosis involving a loss of coordination, weakness, fatigue, mental confusion, and blurred vision) and/or damage. May cause delayed lung damage.

**Signs and symptoms** Discomfort in the chest. Narcosis. Liver enlargement. Jaundice. Defatting of the skin. Irritation.

**Potential environmental effects** Components of this product are hazardous to aquatic life. May cause long-term adverse effects in the environment.

## 3. Composition / Information on Ingredients

Components	CAS #	Percent
Trichloroethylene	79-01-6	> 90
Carbon Dioxide	124-38-9	3 - 5

## 4. First Aid Measures

**First aid procedures**

- Eye contact** Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops or persists.
- Skin contact** Remove and isolate contaminated clothing and shoes. Wash off with warm water and soap. Get medical attention if irritation develops or persists. For minor skin contact, avoid spreading material on unaffected skin.

**Inhalation** Move to fresh air. Oxygen or artificial respiration if needed. Do not use mouth-to-mouth method if victim inhaled the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician if symptoms develop or persist.

**Ingestion** If material is ingested, immediately contact a poison control center. Have victim rinse mouth thoroughly with water. Do not induce vomiting without advice from poison control center. If vomiting occurs naturally, have victim lean forward to reduce risk of aspiration. Do not use mouth-to-mouth method if victim ingested the substance. Induce artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

**Notes to physician** In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

**General advice** If exposed or concerned: get medical attention/advice. In case of shortness of breath, give oxygen. Keep victim warm. Keep victim under observation.

## 5. Fire Fighting Measures

**Flammable properties** Not flammable by OSHA criteria. Not combustible by OSHA criteria.

**Extinguishing media**

**Suitable extinguishing media** Water. Water fog. Foam. Dry chemical. Carbon dioxide (CO2).

**Protection of firefighters**

**Protective equipment and precautions for firefighters** Containers should be cooled with water to prevent vapor pressure build up. Cool containers with flooding quantities of water until well after fire is out.

## 6. Accidental Release Measures

**Personal precautions** Ensure adequate ventilation. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering. Keep unnecessary personnel away.

**Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not contaminate water.

**Methods for containment** Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Stop the flow of material, if this is without risk. Prevent entry into waterways, sewers, basements or confined areas.

**Methods for cleaning up** Should not be released into the environment. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated surface thoroughly. After removal flush contaminated area thoroughly with water.

## 7. Handling and Storage

**Handling** Pressurized container: Do not pierce or burn, even after use. Do not handle or store near an open flame, heat or other sources of ignition. Do not reuse the empty container. Do not use if spray button is missing or defective. Use only with adequate ventilation. Do not get this material in contact with eyes. Do not get this material in contact with skin. Wear personal protective equipment. Avoid release to the environment. Avoid prolonged exposure.

**Storage** Level 1 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. Keep away from heat, sparks, and flame. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Avoid exposure to long periods of sunlight. Keep out of the reach of children. Use care in handling/storage. Level 1 Aerosol (NFPA 30B) Do not store, incinerate, or heat this material above 120 degrees Fahrenheit. Refrigeration recommended.

## 8. Exposure Controls / Personal Protection

### Exposure limits

#### ACGIH

Components	CAS #	TWA	STEL	Ceiling
Trichloroethylene	79-01-6	50 ppm	100 ppm	Not established
Carbon Dioxide	124-38-9	5000 ppm	30000 ppm	Not established

OSHA Components	CAS #	TWA	STEL	Ceiling
Trichloroethylene	79-01-6	100 ppm	Not established	200 ppm
Carbon Dioxide	124-38-9	5000 ppm	Not established	Not established

**Engineering controls** Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits.

**Personal protective equipment**

**Eye / face protection** Wear chemical goggles.

**Skin protection** Wear appropriate chemical resistant clothing. Protective gloves.

**Respiratory protection** When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.

**General hygiene considerations** Do not get this material in contact with skin. Avoid contact with eyes. When using, do not eat, drink or smoke. Handle in accordance with good industrial hygiene and safety practice.

### 9. Physical & Chemical Properties

**Appearance** Compressed liquefied gas.

**Boiling point** 186.8 °F (86.1 °C) estimated

**Color** Colorless.

**Flammability (HOC)** 0.1 kJ/g estimated

**Flash back** No

**Flash point** 0

**Form** Aerosol.

**Odor** Characteristic.

**pH** Not applicable

**Physical state** Liquid.

**Pressure** 75 - 85 psig @70F

**Solubility** Negligible

**Specific gravity** 1.5 estimated

### 10. Chemical Stability & Reactivity Information

**Chemical stability** Stable at normal conditions.

**Conditions to avoid** Heat, flames and sparks.

**Hazardous decomposition products** Irritants. Toxic gas. May include oxides of sulphur.

### 11. Toxicological Information

**Sensitization** Not expected to be hazardous by OSHA criteria.

**Local effects** Liver toxicity. Irritating to eyes. Irritating to skin. Irritating to respiratory system. Components of the product may be absorbed into the body through the skin.

**Chronic effects** Hazardous by OSHA criteria. Repeated absorption may cause disorder of central nervous system, liver, kidneys and blood. Prolonged or repeated exposure may cause lung injury. Prolonged exposure may cause chronic effects.

**Carcinogenicity** Hazardous by OSHA criteria.

**Mutagenicity** Not expected to be hazardous by OSHA criteria.

**Reproductive effects** Not expected to be hazardous by OSHA criteria.

**Teratogenicity** Not expected to be hazardous by OSHA criteria.

**Further information** Symptoms may be delayed.

### 12. Ecological Information

**Ecotoxicity** Components of this product are hazardous to aquatic life.

LC50 42.44 mg/L estimated, Fish, 96.00 Hours,  
EC50 2.07 mg/L estimated, Daphnia, 48.00 Hours,

**Environmental effects** Harmful to aquatic life.

### 13. Disposal Considerations

<b>Waste codes</b>	D040: Waste Trichloroethylene
<b>Disposal instructions</b>	Contents under pressure. Do not puncture, incinerate or crush. Dispose of this material and its container at hazardous or special waste collection point. Incinerate the material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Dispose in accordance with all applicable regulations.
<b>Contaminated packaging</b>	Do not re-use empty containers.

### 14. Transport Information

#### Department of Transportation (DOT) Requirements

**Basic shipping requirements:**

<b>Proper shipping name</b>	Consumer commodity
<b>Hazard class</b>	ORM-D
<b>Subsidiary hazard class</b>	None
<b>Additional information:</b>	
<b>Packaging exceptions</b>	156, 306
<b>Packaging non bulk</b>	156, 306
<b>Packaging bulk</b>	None

#### IMDG

**Basic shipping requirements:**

<b>Proper shipping name</b>	AEROSOLS, toxic
<b>Hazard class</b>	2.2
<b>UN number</b>	1950
<b>Additional information:</b>	
<b>Packaging exceptions</b>	NOT a Ltd Qty
<b>Item</b>	5T
<b>Labels required</b>	2.2 +6.1
<b>Transport Category</b>	1



#### IATA

**Basic shipping requirements:**

<b>Proper shipping name</b>	Aerosols, non-flammable, containing substances in Division 6.1, Packing Group III
<b>Hazard class</b>	2.2
<b>Subsidiary hazard class</b>	6.1
<b>UN number</b>	1950
<b>Additional information:</b>	
<b>Packaging exceptions</b>	NOT a Ltd Qty



### 15. Regulatory Information

**US federal regulations** This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.  
All components are on the U.S. EPA TSCA Inventory List.

**U.S. - CERCLA/SARA - Section 313 - Emission Reporting**

Trichloroethylene	79-01-6	0.1 % de minimis concentration
-------------------	---------	--------------------------------

**Occupational Safety and Health Administration (OSHA)**

<b>29 CFR 1910.1200 hazardous chemical</b>	Yes
--	-----

**CERCLA (Superfund) reportable quantity**

Trichloroethylene: 100.0000

**Superfund Amendments and Reauthorization Act of 1986 (SARA)**

<b>Hazard categories</b>	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No
--------------------------	---

Section 302 extremely hazardous substance No

Section 311 hazardous chemical Yes

**Inventory status**

Country(s) or region	Inventory name	On inventory (yes/no)*
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of New and Existing Chemicals (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

**State regulations** WARNING: This product contains a chemical known to the State of California to cause cancer.

**U.S. - Pennsylvania - RTK (Right to Know) List**

Carbon Dioxide	124-38-9	Present
Trichloroethylene	79-01-6	Environmental hazard

**16. Other Information**

**Further information**

HMIS® is a registered trade and service mark of the NPCA.

**HMIS® ratings**

Health: 2\*  
Flammability: 1  
Physical hazard: 0

**Prepared by**

Regulatory Compliance

**Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**Issue date**

09-Apr-2008

**MSDS sections updated**

This document has undergone significant changes and should be reviewed in its entirety.