

Safety Data Sheet

ActivICE Topical Pain Reliever Roll-On

Section 1. Identification

Product Identifier

Synonyms

Manufacturer Stock

Numbers

ActivICE Topical Pain Reliever Roll-On

MDSAICEROLL; MSD_SDS0426

MDSAICEROLL

Recommended use

Uses advised against

Topical Analgesic, FDA Counter-irritant OTC

N.D.

Manufacturer Contact

Address

Medline Industries, Inc.

3 Lakes Drive

Northfield, IL, 60093

USA

Phone

Emergency Phone

(800) 424-9300

CHEMTREC

(847) 643-4436

Fax

Website

www.Medline.com

(800) 633-5463

Section 2. Hazards Identification

Classification FLAMMABLE LIQUIDS - Category 2

SERIOUS EYE DAMAGE /EYE IRRITATION - Category 2B

SKIN CORROSION/IRRITATION - Category 2

Signal Word Danger

Pictogram



Hazard Statements Causes serious eye irritation

Causes skin irritation Harmful if swallowed

Highly flammable liquid and vapor May cause drowsiness or dizziness

Precautionary Statements

Response Call a poison center or doctor/physician if you feel unwell.

If inhaled: Remove victim to fresh air and keep at rest in a position comfortable

for breathing.

If skin irritation occurs get medical advice/attention.

In case of fire: Use appropriate media.

Prevention Avoid breathing vapors and or spray.

Keep away from heat, sparks, open flames and/or hot surfaces.

Keep container tightly closed. Wash thoroughly after handling.

Storage Keep cool.

Disposal N/A

Ingredients of unknown

toxicity

0%

Hazards not Otherwise

Classified

N.A.

Section 3. Ingredients

| CAS | Ingredient Name | Weight % |
|---------|-----------------|----------|
| 89-78-1 | L-menthol | 8 % |
| 64-17-5 | SD-alcohol 39C | 54 % |

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

Inhalation: Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial

respiration if victim is not breathing.

Skin: In case of contact with substance, immediately flush skin with running water

for at least 20 minutes. Wash skin with soap and water. Take off contaminated

clothing and wash before reuse. If skin irritation occurs, get medical

advice/attention.

Eye: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get

medical advice/attention.

Ingestion: DO NOT induce vomiting. If person is drowsy or unconscious and vomiting,

place on the left side with head down. Seek medical attention.

Most important symptoms and effects, both acute and

Refer to section 11 - Toxicological Information.

delayed:

medical attention and

Indication of any immediate Notes to Physician: All treatments should be based on observed signs and symptoms of distress in the patient. Consideration should be given to the special treatment needed: possibility that overexposure to materials other than this product may have

occurred.

Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Carbon dioxide, dry chemical and water spray

Unsuitable Extinguishing

Media

Avoid the use of streaming water

Special Hazards Arising

From Mixture:

Unusual fire and explosion hazard:

Flammable: Will ignite by sparks, heat or flames. Vapors may form explosive mixture with air. Vapors may travel to source of ignition.

Advice to Firefighters:

Firefighters should wear self-contained breathing apparatus. Wear protective clothing that is specifically recommended by manufacturer for firefighters.

Use water spray to cool containers exposed to fire.

Section 6. Accidental Release Measures

Personal Precautions,

Protective Equipment and **Emergency Procedures:**

Personal Precautions:

Wear appropriate protective equipment including respiratory protection as

conditions warrant.

Do not touch or walk through spilled material

Do not touch damaged containers or spilled material

Emergency Procedures:

As immediate precautionary measures, isolate spill or leak area (150 feet

radius)

Eliminate all ignition sources in spill or leak area

Keep unauthorized personnel away

Stay upwind and ventilate closed spaces before entering

Avoid run off to waterways and sewers

Methods and Material for

Containment/Clean-up Measures:

Containment and Cleaning Stop leak if it can be done without risk. All equipment used when handling the product must be grounded. Absorb or cover with dry earth, sand or other non-combustible material and transfer to suitable containers. Use clean non-sparking tools to collect absorbed material. For large spills consider a

dike far ahead of liquid spill

Section 7. Handling and Storage

Precautions for Safe

Handling:

Handling:

Keep away from heat and ignition sources

Empty containers contain residue and maybe dangerous

Use with adequate ventilation

Conditions for Safe

Storage:

Storage:

Store in cool/low temperature, well ventilated area

Keep container closed when not in use

Keep away from heat, ignition sources, oxidizers and acids

Section 8. Exposure Controls/Personal Protection

Occupational Exposure

Limits

Ingredient ACGIH TLV OSHA PEL **STEL** Name L-menthol N/A N/A N/A SD-alcohol STEL: 1,000 ppm TWA: 1,000 ppm N/A Note: Upper respiratory 1,900mg/mm3 39C 29 CFR 1910.1000 Table Z-1

track irritation. Confirmed animal carcinogen with

Limits

unknown relevance to

humans.

Goggles, Gloves, Respirator

Equipment

Engineering

Measures/Controls:

Personal Protective

Personal Protective

Equipment:

Adequate ventilation as needed to control exposure.

Respiratory:

In case of insufficient ventilation wear suitable respiratory equipment. Follow

OSHA 29CFR 1919.134

Eye/Face:

Wear safety goggles.

Hands:

Wear protective gloves (neoprene, butyl or nitrile rubber).

Skin/Body:

Where extensive dermal exposure is expected wear a chemical suit or

chemical apron.

Considerations:

General Industrial Hygiene Handle in accordance with good industrial hygiene practice. Wash thoroughly

with soap and water after handling and before eating or drinking. Safety

shower and eye wash should be available close to work areas. Follow best practice for site management and disposal of waste.

Environmental Exposure

Avoid release to the environment.

Controls:

Section 9. Physical and Chemical Properties

| Physical State | Liquid |
|---------------------------------------|-------------------|
| Color | Clear, colorless |
| Odor | Alcohol/Mint-like |
| Odor Threshold | N.D. |
| Solubility | N.D. |
| Partition coefficient Water/n-octanol | N.D. |
| VOC% | N/A |
| Viscosity | N.D. |
| Specific Gravity | N/A |
| Density lbs/Gal | N/A |
| Pounds per Cubic Foot | N/A |
| Flash Point | 24.5 °C |
| FP Method | Pensky-Martens |
| | Closed Cup |
| | Tester |
| рН | N.A. |
| Melting Point | N.D. |
| Boiling Point | N.D. |
| Boiling Range | N.D. |
| LEL | N/A |
| UEL | N/A |
| Evaporation Rate | N.D. |
| Flammability | Flammable |
| Decomposition Temperature | N.D. |
| Auto-ignition Temperature | N.D. |
| Vapor Pressure | N.D. |
| Vapor Density | N.D. |

Section 10. Stability and Reactivity

Reactivity: No dangerous reaction known with normal use.

Chemical Stability: Stable under normal temperatures and pressures.

Possibility of Hazardous Hazardous reactions may occur with oxidizing agents.

Reactions:

Conditions to Avoid: High temperatures, sparks, open flames and electrical circuits.

Hazardous Decomposition In case of fire carbon dioxide, hydrocarbons, fumes, soot and smoke may be

Products: produced.

Section 11. Toxicological Information

Toxicity: SD Alcohol (39C) CAS No. 64-17-5

Acute Toxicity:

LD50(H) Oral Rat 15010 mg/kg LDLo Oral Rat 7000 mg/kg Irritation:

Eye-rbt 100mg MOD-SEV, skin-human 500mg (MLD)

Reproductive:

Teratogenic rats, mice.

Carcinogenic:

Classified 1 (Proven for humans.) by IARC.

Acute Toxicity: Classification criteria not met.

Aspiration Hazard: No data available.

Carcinogenicity: Oral consumption of ethanol – IARC classification as carcinogenic to humans

Central nervous system depression, gastrointestinal disturbance including

based on sufficient evidence in humans.

Germ cell Mutagenicity: No data available. Respiratory sensitization: No data available.

Serious eye Classification criteria not met.

damage/irritation:

Skin corrosion/irritation: Skin irritation 2.

Skin sensitization: Classification not met.
Specific Target Organ No data available.

Toxicity - Repeated

exposure:

Specific Target Organ No data available.

Toxicity - Single exposure:

Toxicity for reproduction: Classification criteria not met.

Signs and symptoms of

exposure: nausea, as well as headache may occur

Section 12. Ecological Information

Toxicity: No data available.

Persistence and No data available.

degradability:

Bioaccumulation: No data available.

Mobility in soil: No data available.

PBT and vPvB: No data available.

Section 13. Disposal

Product: Contact a licensed professional waste disposal service to dispose of this

material.

Contaminated packaging: Dispose of as unused product.

Section 14. Transport Information

UN Number 1170

UN Proper Shipping Name Ethanol solutions.

DOT Classification 3
Packing Group III
IMDG - UN Number 1170

IMDG - UN Proper Shipping Ethanol Solution

Name

IMDG - Hazard Class: 3IMDG - Packing Group: IIIIATA - UN Number: 1170

IATA - UN Proper Shipping Ethanol Solution

Name:

IATA - Hazard Class: 3
IATA - Packing Group: III

Section 15. Regulatory Information

SARA 311/312: Refer to Section 2 of the SDS.

SARA 302: N.A. SARA 304: N.A. SARA 313: N.A.

TSCA: All components are listed or exempt.

CERCLA Hazardous N.A.

Substance List:

Clean Air Act (CAA) Section N.A.

112, 112 (r):

State Regulations: New Jersey Dept. Of Health RTK:

Ethyl Alcohol

Pennsylvania RTK:

Ethanol

Rhode Island RTK: Ethyl Alcohol

Massachusetts RTK:

Ethanol

Section 16. Other Information

Revision Date 2/21/2019

Legend N.A. - Not Applicable

N.E. - Not Established N.D. - Not Determined

Additional Information The information contained herein is furnished without warranty or legal

responsibility of any kind. Employers should use this information only as a

supplement to other information gathered by them and must make

independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health

of employees