

# **Material Safety Data Sheet**

Revision Date: 1/1/2016

## Section 1: Product and Company Identification

Product Name: Fast Freeze Gel

Chemical Family: Mixture

Recommended Use: Topical Pain Reliever

Restrictions on Use: No Data

Company: Natural Essentials, Inc.

125 Lena Dr.

Aurora, OH, 44202

**Telephone:** 1-888-728-7612 (Only available during normal business hours.)

Packaging Types: Roll-On, Tube, Bottle

Emergency Phone: PERS 1-800-728-2482

## Section 2: Hazards Identification

### **Emergency Overview:**

Warning: Flammable. May cause eye irritation. May be harmful if swallowed.

### **GHS Classification:**

Flammable Liquid, Category 3 Eye Irritant, Category 2B

#### **GHS Label Elements:**

Pictograms:



Signal Word: Warning

**Hazard Statements:** 

H226: Flammable liquid and vapor

Revision Date: 1/1/2016 Page 1 of 10

H318: Causes eye irritation

### **Precautionary Statements:**

P210: Keep away from heat/sparks/open flames/hot surfaces.-No smoking.

P233: Keep container tightly closed.

P264: Wash hands thoroughly after handling.

P403 + P235: Store in a well-ventilated place. Keep cool.

## Classification According to Directive 1999/45/EC:

**European Economic Community Information:** This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

EU Classification: [R10] Flammable, [Xi] Irritant

EU Risk Phrases: R10: Flammable; R36: Irritating to eyes.

**EU Safety Phrases:** S2: Keep out of reach of children; S7: Keep container tightly closed; S16: Keep away from sources of ignition – No smoking; S25: Avoid contact with eyes; S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

## **EU Symbols:**



Section 3: Composition/Information on Ingredients

Chemical Ingredients:	CAS Number:	EC Number	Index Number	Percent Range:	Classification of Ingredient according to 67/548/EEC*	Classification of Ingredient according to Regulation (EC) No 1272/2008 [CLP]*
Isopropyl	67-63-0	200-661-7	603-117-00-0	15 - 40%	F; R11	Flam. Liq. 2
Alcohol					Xi; R36	H225
					R67	Eye Irrit. 2
						H319
						STOT Single 3
						H336
L-Menthol	2216-51-5	218-690-9	Not Available	3 – 7%	Not classified. Substance with a	
					community workplace exposure	
					limit.	

\*Legend: F: Highly flammable

Revision Date: 1/1/2016 Page 2 of 10

R11: Highly flammable

Xi: Irritant

R36: Irritating to eyes

R67: Vapors may cause drowsiness or dizziness

H225: Highly flammable liquid and vapor H319: Causes serious eye irritation H336: May cause drowsiness or dizziness

### 1 1000. May cause drowsiness of dizziness

#### Section 4: First Aid Measures

**Inhalation:** Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a poison center or doctor/physician if victim feels unwell.

Skin Contact: Not applicable.

**Eye Contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Ingestion: Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

## **Section 5: Fire Fighting Measures**

Suitable Extinguishing Media: Water, carbon dioxide, dry chemical, or foam

Specific Hazards in Case of Fire: None known.

**Special Protective Equipment for Fire-Fighters:** Use protective clothing and breathing equipment appropriate for the surrounding fire.

#### Section 6: Accidental Release Measures

**Personal Precautions:** Eliminate all ignition sources and heat sources if safe to do so. Take off contaminated clothing and wash before reuse.

Environmental Precautions: Do not flush into surface water or sanitary sewer system.

**Methods for Containment/Cleaning Up:** Contain spillage and collect with non-combustible absorbent material. Disposal should be in accordance with all applicable local, state and federal regulations.

### Section 7: Handling and Storage

**Handling:** Avoid breathing vapor or mist. Wash hands thoroughly after handling. Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Keep out of reach of children.

**Storage:** Store in a well-ventilated place. Keep cool. Keep container tightly closed. Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Store locked up.

#### Section 8: Exposure Controls/Personal Protection

Revision Date: 1/1/2016 Page 3 of 10

## **US Exposure Limits:**

Chemical Ingredients:	CAS Number:	OSHA PEL	NIOSH REL	ACGIH TLV
Isopropyl Alcohol	67-63-0	400 ppm	400 ppm (TWA) 500 ppm (STEL) 2000 ppm (IDLH)	200 ppm (TWA) 400 ppm (STEL)
L-Menthol	2216-51-5	Not Established	Not Established	Not Established

## Other Exposure Limits:

Isopropyl Alcohol:

Indonesia:

700 mg/m<sup>3</sup> STEL; 350 mg/m<sup>3</sup> TWA China: 500 ppm STEL; 1230 mg/m<sup>3</sup> STEL; Hong Kong:

400 ppm TWA; 983 mg/m<sup>3</sup> TWA 500 ppm STEL; 1230 mg/m<sup>3</sup> STEL; 400 ppm TWA; 983 mg/m<sup>3</sup> TWA

200 ppm Administrative Control Level (ACL) Japan:

400 ppm Ceiling; 980 mg/m<sup>3</sup> Ceiling

Korea: 400 ppm STEL; 980 mg/m<sup>3</sup> STEL;

200 ppm TWA; 480 mg/m³ TWA 400 ppm TWA; 980 mg/m³ TWA

Malaysia: 400 ppm TWA; 980 mg/m<sup>3</sup> TWA Philippines: 500 ppm STEL; 1230 mg/m<sup>3</sup> STEL; Singapore: 400 ppm TWA; 983 mg/m<sup>3</sup> TWA

500 ppm STEL; 1228.75 mg/m<sup>3</sup> STEL;

Taiwan: 400 ppm TWA; 983 mg/m<sup>3</sup> TWA

50 mg/m<sup>3</sup> STEL (vapor); 10 mg/m<sup>3</sup> TWA (vapor) Russia: 800 ppm STEL; 2000 mg/m<sup>3</sup> STEL (4 x 15 min) Austria:

800 ppm STEL; 2000 mg/m<sup>3</sup> STEL (4 x 30 min)

200 ppm MAK; 500 mg/m<sup>3</sup> MAK; 400 ppm STEL; 1000 mg/m<sup>3</sup> STEL; Belgium:

200 ppm TWA; 500 mg/m<sup>3</sup> TWA

1225.0 mg/m<sup>3</sup> STEL; 980.0 mg/m<sup>3</sup> TWA Bulgaria: Czech Republic: 500 mg/m<sup>3</sup> TWA; 1000 mg/m<sup>3</sup> Ceiling 200 ppm TWA: 490 mg/m<sup>3</sup> TWA Denmark:

250 ppm STEL; 600 mg/m<sup>3</sup> STEL; Estonia:

150 ppm TWA; 350 mg/m³ TWA 250 ppm STEL; 620 mg/m³ STEL; Finland: 200 ppm TWA; 500 mg/m<sup>3</sup> TWA

400 ppm TWA; 980 mg/m<sup>3</sup> STEL France: 400 ppm Peak; 1000 mg/m<sup>3</sup> Peak; Germany:

200 ppm MAK; 500 mg/m<sup>3</sup> MAK

500 ppm STEL; 1225 mg/m<sup>3</sup> STEL; Greece: 400 ppm TWA; 980 mg/m<sup>3</sup> TWA

2000 mg/m<sup>3</sup> STEL; 500 mg/m<sup>3</sup> TWA Hungary: Ireland: 400 ppm STEL: 200 ppm TWA Italy: 400 ppm STEL; 200 ppm TWA Latvia: 600 mg/m<sup>3</sup> STEL; 350 mg/m<sup>3</sup> TWA 250 ppm STEL; 600 mg/m<sup>3</sup> STEL; Lithuania:

150 ppm TWA; 350 mg/m<sup>3</sup> TWA

Revision Date: 1/1/2016 Page 4 of 10

## Material Safety Data Sheet

10000 mg/m<sup>3</sup> Life Threatening Value (LBW); 200 mg/m<sup>3</sup> Netherlands:

Prescribed Target Value (VRW); 2000 mg/m<sup>3</sup> Warning Limit

Value (AGW) 1200 mg/m³ STEL; 900 mg/m³ TWA Poland: 400 ppm STEL; 200 ppm TWA 203 ppm STEL; 500 mg/m³ STEL; Portugal: Romania:

81 ppm TWA; 200 mg/m<sup>3</sup> TWA

1000 mg/m<sup>3</sup> Ceiling; 200 ppm TWA; 500 mg/m<sup>3</sup> TWA Slovakia:

800 ppm STEL; 2000 mg/m³ STEL; Slovenia:

200 ppm TWA; 500 mg/m<sup>3</sup> TWA

500 ppm STEL; 1250 mg/m<sup>3</sup> STEL; Spain:

400 ppm TWA; 998 mg/m³ TWA 250 ppm STEL; 600 mg/m³ STEL; Sweden:

150 ppm TLV; 350 mg/m<sup>3</sup> TLV

United Kingdom: 500 ppm STEL; 1250 mg/m<sup>3</sup> STEL;

400 ppm TWA; 999 mg/m<sup>3</sup> TWA

L-Menthol:

1 mg/m<sup>3</sup> (aerosol and vapor) Russia:

**Engineering Controls:** Use only in a well-ventilated area.

Revision Date: 1/1/2016 Page 5 of 10

## **Personal Protective Equipment:**

**Eye Protection:** None required under normal conditions of use.

Hand Protection: Not Applicable

Skin and Body Protection: Not Applicable

Respiratory Protection: None required under normal conditions of use.

Hygiene Measures: Wash hands thoroughly after handling. Use only in a well-ventilated area.

## Section 9: Physical and Chemical Properties

Physical State: Gel Color: Opaque

Menthol Scented Odor: **Odor Threshold:** Not Available Not Available :Ha Melting/Freezing Point: Not Available **Initial Boiling Point:** Not Available Flash Point: 95°F (35℃) **Evaporation Rate:** Not Available Flammability (solid, gas): Not Applicable **Lower Explosive Limit:** Not Available **Upper Explosive Limit:** Not Available

Lower Flammability Limit: 20% Upper Flammability Limit: 35%

Vapor Pressure:Not AvailableVapor Density:Not AvailableRelative Density:0.95 ± 0.05Water Solubility:CompletePartition Coefficient:Not AvailableAutoignition Temperature:Not AvailableDecomposition Temperature:Not AvailableViscosity:Not Available

## Section 10: Stability and Reactivity

**Stability:** Stable under ordinary conditions of use and storage.

**Conditions to Avoid:** Sources of ignition, heat, sunlight, pressure.

**Incompatible Materials:** Strong acids and oxidizers.

**Hazardous Decomposition Products:** Alcoholic vapors.

Hazardous Polymerization: Will not occur.

## Section 11: Toxicological Information

Inhalation: No known effects.

Revision Date: 1/1/2016 Page 6 of 10

**Ingestion:** May be harmful if swallowed.

**Skin Contact:** Relieves pain when used in accordance with instructions.

Eye Contact: May cause eye irritation.

Chronic Exposure: No known effects.

Aggravation of Pre-existing Conditions: No information found.

Numerical Measures of Toxicity: None available.

Carcinogenicity: Not known to be as defined by OSHA, IARC or NTP.

## Section 12: Ecological Information

This product is safe for the environment at the concentrations predicted under normal use conditions.

## Section 13: Disposal Considerations

Dispose of contents/container in accordance with all applicable local, state and national regulations.

## Section 14: Transport Information

US DOT:

Proper Shipping Name: Flammable liquids, n.o.s., (isopropyl alcohol)

Hazard Class: 3
UN Number: UN1993
Packing Group: III

Labels: Flammable Liquid

DOT Hazardous Substance RQ: None/no reportable quantities DOT Marine Pollutants: None/no reportable quantities

IATA

Proper Shipping Name: Flammable liquids, n.o.s., (isopropyl alcohol)

Hazard Class: 3
UN Number: UN1993
Packing Group: III

### Section 15: Regulatory Information

## **US Regulatory Information:**

**OSHA Hazards:** Flammable, Irritant

**SARA 302:** None/no reportable quantities.

SARA 311/312 Hazard Categories: Fire Hazard, Acute Health Hazard

Revision Date: 1/1/2016 Page 7 of 10

**SARA 313:** Isopropyl Alcohol (CAS #67-63-0) is subject to SARA 313 reporting requirements.

**TSCA:** All substances in this product are listed on the TSCA inventory if required.

### **Canadian Regulatory Information:**

**DSL List:** All components of this product comply with registration requirements.

**European Economic Community Information for Constituents:** The following information is available for the components of this product:

Isopropyl Alcohol: EU EINECS/ELINCS Number: 200-661-7

L-Menthol: EU EINECS/ELINCS Number: 218-690-9

**EU Labeling and Classification According to Directive 1999/45/EC:** This product meets the definition of the following hazard class as defined by the European Economic Community Guidelines.

EU Classification: [R10] Flammable, [Xi] Irritant

**EU Risk Phrases:** R10: Flammable; R36: Irritating to eyes; R67: Vapors may cause drowsiness or dizziness.

**EU Safety Phrases:** S2: Keep out of reach of children; S7: Keep container tightly closed; S16: Keep away from sources of ignition – No smoking; S25: Avoid contact with eyes; S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

### **EU Symbols:**



#### Japanese Information:

Japanese Minister of International Trade and Industry (MITI) Status: The components of this product are not listed as Class I Specified Chemical Substances or Class II Specified Chemical Substances by the Japanese MITI. Contains less than 1% methyl 4-hydroxybenzoate, which is a Class I Designated Chemical Substance.

**Japanese ENCS Inventory:** The components of this product are on the ENCS Inventory if required.

**Poisonous and Deleterious Substances Control Law:** No component of this product is a listed poisonous, deleterious, or specified poisonous substance under the Poisonous and Deleterious Substances Control Law.

#### Other International Chemical Inventories:

Revision Date: 1/1/2016 Page 8 of 10

China Inventory of Existing Chemical Substances (IECSC): The components of this product are on the IECSC if required.

**Korean Existing Chemicals List (KECL):** The components of this product are on the KECL if required.

Philippines Inventory of Chemicals and Chemical Substances (PICCS): The components of this product are on the PICCS if required.

#### Section 16: Other Information

The information contained in this MSDS is presented in good faith and believed to be accurate based on the information provided. The MSDS does not purport to be all inclusive, and shall be used only as a guide. While Natural Essentials, Inc. believes that the data contained herein comply with 29 CFR 1910.1200, they are not to be taken as a warranty or representation for which Natural Essentials, Inc. assumes legal responsibility. Natural Essentials, Inc. shall not be held liable or accountable for any loss or damage associated with the use of this material and information. The recommended industrial hygiene and safe use, handling, storage, and disposal procedures are believed to be generally applicable. However, since the use, handling, storage, and disposal are beyond Natural Essentials, Inc. control, it is the responsibility of the user both to determine safe conditions for use of this product and to assume liability of loss, damage, or expense arising out of the material's improper use.

#### **HMIS Classification:**

Health Hazard: 1 Flammability: 2 Physical Hazards: 0

### Legend:

**ACGIH:** American Conference of Governmental & Industrial Hygienists

**CAS:** Chemical Abstract Service **CFR:** Code of Federal Regulations **DOT:** Department of Transportation

**DSL/NDSL:** Domestic Substances List/Non-Domestic Substances List

EC Number: EINECS Number or ELINCS Number

EINECS: European Inventory of Existing Commercial Chemical Substance

**ELINCS:** European List of Notified Substance **ENCS:** Existing and New Chemical Substances

**EU:** European Union

GHS: Globally Harmonized System of Chemical Classification and Labelling

HMIS: Hazardous Materials Identification System IARC: International Agency for the Research of Cancer

IATA: International Air Traffic Association ICAO: International Civil Aviation Organization IDLH: Immediately Dangerous to Life or Health IMDG: International Maritime Dangerous Goods

**IMO:** International Maritime Organizations

**MAK:** Maximale Arbeitsplatzkonzentration (Exposure Limit) **NIOSH:** National Institute of Occupational Safety and Health

NTP: National Toxicology Program
NFPA: National Fire Protection Association

NTP: National Toxicology Program

**OSHA:** Occupational Safety & Health Administration

**PEL:** Permissible Exposure Limits

RCRA: Resource Conservation & Recovery Act

**REL:** Recommended Exposure Limits

Revision Date: 1/1/2016

## Material Safety Data Sheet

**RQ:** Reportable Quantity RTK: Right-To-Know

SARA: Superfund Amendments & Reauthorization Act STEL: Short Term Exposure Limit

TLV: Threshold Limit Value

TSCA: Toxic Substances Control Act TWA: Time Weighted Average

**TCLP:** Toxicity Characteristic Leaching Procedure **US:** United States

**VOC:** Volatile Organic Compounds

Revision Date: 1/1/2016 Page 10 of 10