MCKESSON



HEMOGLOBIN TESTING SYSTEM

McKesson Consult® Hemoglobin Analyzer

The McKesson Consult [®] Hemoglobin Analyzer delivers fast and reliable results as fast as two seconds after placing microcuvette into the analyzer. Our analyzer fits easily in the user's hand and is transportable.

FEATURES AND BENEFITS

- Results as fast as two seconds
- "Always-on" technology makes this analyzer immediately ready for use when needed
- Factory calibrated against the HiCN reference method according to ICSH and no recalibration is required
- Automatic self-check between each measurement
- Analyzer-integrated lithium-ion rechargeable battery that lasts 40 days or 10,000 continuous tests
- Symbol-based display
- Practical and portable
- No maintenance required
- Not made with natural rubber latex



Satisfaction Guaranteed

If you are not completely satisfied with any McKesson Brands product, you may return it for a full refund or credit.

Never Compromise on Care SM

With McKesson Brands, you'll never have to compromise. We deliver quality products at competitive prices, backed by our 100% satisfaction guarantee. We have decades of experience in the market, and we offer you support and work to help ensure you have the products you need, when you need them—making it even easier for you to provide the best care for your patients.

The product information contained in this document, including the product images and additional product materials, was collected from various supplier sources. All product claims and specifications are those of the product suppliers and have not been independently verified by McKesson Medical-Surgical or its affiliates ("McKesson"). McKesson is not responsible for errors or omissions in the product information.

The properties of a product may change or be inaccurate following the posting or printing of the product information in the document, either in the print or online version. Caution should be exercised when using or purchasing any products from McKesson's online or print documents by closely examining the product packaging and the labeling prior to use.

Due to product changes, information listed in this document is subject to change without notice. This information is placed solely for your convenience in ordering and McKesson disclaims all responsibility for its completeness and accuracy, whether or not the inaccuracy or incompleteness is due to fault or error by McKesson.

© 2019 McKesson Medical-Surgical Inc

MSKESSON



McKesson Consult® Hemoglobin Cuvettes

Our microcuvettes are reagent-free and serve both as the sample collector and measuring cuvette. Each cuvette is ready for use on removal from its package and has a shelf life of up to two-and-a-half years. Unused cuvettes can be used for the duration of their indicated shelf life even after package has been opened. Cuvettes should be stored in their original bag to preserve the quality and cleanliness of the product. CLIA waived.

FEATURES AND BENEFITS

- Reagent-free
- Shelf life of up to 2.5 years
- Small 10 μL sample volume
- Capillary or venous blood sample
- Designed to collect blood sample from any angle without the formation of air bubbles, minimizing the need to repeat a test procedure
- CLIA Waived
- Not made with natural rubber latex



McKesson Consult® Control Solution

McKesson Consult® Hb Control Solutions may be used by professionals in the verification of the precision and accuracy of McKesson Consult® Hemoglobin Meter and Hemoglobin Cuvettes, making it easier to comply with the rigorous quality standards required in the laboratory setting.

FEATURES AND BENEFITS

- · No refrigeration required
- 60-day open vial stability
- · 3 concentrations: low, normal and high
- Non-biohazardous
- Not made with natural rubber latex



^{**}HiCN stands for hemiglobincyanide. HiCN is the reference method against which all new hemoglobin testing methods are judged. HiCN is recognized as the international standard by ICSH (International Committee for Standardization in Hematology). Standardized against HiCN means your results are comparable to those obtained in laboratory.





Hb to Hct Conversion

Population	INFANT		INFANT (CONT)		CHILD/ADOLESCENT		CHILD/ADOLESCENT (CONT)	
Age Range	1 month to 2 years 9.4 – 16.5 g/dL		1 month to 2 years 9.4 – 16.5 g/dL		> 2 years to 21 years 11.0 – 15.5 g/dL		> 2 years to 21 years 11.0 – 15.5 g/dL	
Expected Values								
	Hb	Hct	Hb	Hct	Hb	Hct	Hb	Hct
	9.4	28.2	13.5	40.5	11.0	33.0	15.1	45.3
	9.5	28.5	13.6	40.8	11.1	33.3	15.2	45.6
	9.6	28.8	13.7	41.1	11.2	33.6	15.3	45.9
	9.7	29.1	13.8	41.4	11.3	33.9	15.4	46.2
	9.8	29.4	13.9	41.7	11.4	34.2	15.5	46.5
	9.9	29.7	14.0	42.0	11.5	34.5		
	10.0	30.0	14.1	42.3	11.6	34.8		
	10.1	30.3	14.2	42.6	11.7	35.1		
	10.2	30.6	14.3	42.9	11.8	35.4		
	10.3	30.9	14.4	43.2	11.9	35.7		
	10.4	31.2	14.5	43.5	12.0	36.0		
	10.5	31.5	14.6	43.8	12.1	36.3		
	10.6	31.8	14.7	44.1	12.2	36.6		
	10.7	32.1	14.8	44.4	12.3	36.9		
	10.8	32.4	14.9	44.7	12.4	37.2		
	10.9	32.7	15.0	45.0	12.5	37.5		
	11.0	33.0	15.1	45.3	12.6	37.8		
	11.1	33.3	15.2	45.6	12.7	38.1		
	11.2	33.6	15.3	45.9	12.8	38.4		
Hb to Hct	11.3	33.9	15.4	46.2	12.9	38.7		
Conversion	11.4	34.2	15.5	46.5	13.0	39.0		
	11.5	34.5	15.6	46.8	13.1	39.3		
	11.6	34.8	15.7	47.1	13.2	39.6		
	11.7	35.1	15.8	47.4	13.3	39.9		
	11.8	35.4	15.9	47.7	13.4	40.2		
	11.9	35.7	16.0	48.0	13.5	40.5		
	12.0	36.0	16.1	48.3	13.6	40.8		
	12.1	36.3	16.2	48.6	13.7	41.1		
	12.2	36.6	16.3	48.9	13.8	41.4		
	12.3	36.9	16.4	49.2	13.9	41.7		
	12.4	37.2	16.5	49.5	14.0	42.0		
	12.5	37.5			14.1	42.3		
	12.6	37.8			14.2	42.6		
	12.7	38.1			14.3	42.9		
	12.8	38.4			14.4	43.2		
	12.9	38.7			14.5	43.5		
	13.0	39.0			14.6	43.8		
	13.1	39.3			14.7	44.1		
	13.2	39.6			14.8	44.4		
	13.3	39.9			14.9	44.7		
	13.4	40.2			15.0	45.0		



Hb to Hct Conversion

Population	ADULT FEMALE		ADULT	MALE	ADULT MALE (CONT)	
Age Range	> 22 years		> 22 y	years	> 22 years	
Expected Values	12.0 - 15.0 g/dL		13.0 – 1	7.0 g/dL	13.0 – 17.0 g/dL	
	Hb	Hct	Hb	Hct	16.1	48.3
	12.0	36.0	13.0	39.0	16.2	48.6
	12.1	36.3	13.1	39.3	16.3	48.9
	12.2	36.6	13.2	39.6	16.4	49.2
	12.3	36.9	13.3	39.9	16.5	49.5
	12.4	37.2	13.4	40.2	16.6	49.8
	12.5	37.5	13.5	40.5	16.7	50.1
	12.6	37.8	13.6	40.8	16.8	50.4
	12.7	38.1	13.7	41.1	16.9	50.7
	12.8	38.4	13.8	41.4	17.0	51.0
	12.9	38.7	13.9	41.7	16.1	48.3
	13.0	39.0	14.0	42.0	16.2	48.6
	13.1	39.3	14.1	42.3	16.3	48.9
	13.2	39.6	14.2	42.6	16.4	49.2
	13.3	39.9	14.3	42.9	16.5	49.5
Hb to Hct	13.4	40.2	14.4	43.2	16.6	49.8
Conversion	13.5	40.5	14.5	43.5	16.7	50.1
	13.6	40.8	14.6	43.8	16.8	50.4
	13.7	41.1	14.7	44.1	16.9	50.7
	13.8	41.4	14.8	44.4	17.0	51.0
	13.9	41.7	14.9	44.7		
	14.0	42.0	15.0	45.0		
	14.1	42.3	15.1	45.3		
	14.2	42.6	15.2	45.6		
	14.3	42.9	15.3	45.9		
	14.4	43.2	15.4	46.2		
	14.5	43.5	15.5	46.5		
	14.6	43.8	15.6	46.8		
	14.7	44.1	15.7	47.1		
	14.8	44.4	15.8	47.4		
	14.9	44.7	15.9	47.7		
	15.0	45.0	16.0	48.0		



MSKESSON

MFR#	DESCRIPTION	CONTENTS	QTY	
900MCKSP	Hemoglobin Testing System, Analyzer Kit	Hemoglobin analyzer, 100 Hemoglobin cuvettes in a resealable foil pouch, 1 power supply with adaptor, 1 USB cable, 1 User manual, 1 Instructions for use	1 bx	
900-001MCK	Hemoglobin Analyzer	N/A	1 ea/bx	
900-900MCK	Power Supply with Adaptor	1 Power Supply	1 bag	
900-901MCK	USB Cable	1 USB Cable	1 bag	
900-100MCK	Hemoglobin Cuvettes, CLIA Waved	100 Hemoglobin cuvettes in a resealable foil pouch, 1 Instructions for use	100 ea/pk, 1 pk/bx	
900-902MCK	Hemoglobin Cuvette Holder	1 Cuvette Holder	1 bag	
900-501MCK	Control Solution, Low Level, 1.9 mL	3 Control Solutions (1.9 mL), 1 Instructions for Use	1 ea, 3 ea/bx	
900-502MCK	Control Solution, Normal Level, 1.9 mL	3 Control Solutions (1.9 mL), 1 Instructions for Use	1 ea, 3 ea/bx	
900-503MCK	Control Solution, High Level, 1.9 mL	3 Control Solutions (1.9 mL), 1 Instructions for Use	1 ea, 3 ea/bx	

McKesson Medical-Surgical 9954 Mayland Drive Richmond, VA 23233 mms.mckesson.com/mckesson-brands

Post-Acute Care and Home Health 800.347.2456

Home Medical Equipment 888.822.8111

Primary Care 866.625.2679

McKesson Brands Support 800.777.4908