#### Material Salety Data Sheet (ANSI 10111)

## Section1 : Chemical Product and Company Identification

| Department<br>Address<br>Telephone<br>Number | <ul> <li>Print Cartridge Cyan SP C820DNHA</li> <li>The Image Formation of Printing Machine or Copier</li> <li>821029</li> <li>Ricoh Americas Corporation</li> <li>5 Dedrick Place West Caldwell, NJ 07006</li> <li>1-973-882-2000 or 1-973-882-5218 (For product information) or 1-800-336-6737 (For emergencies)</li> <li>1-973-882-3959</li> <li>environmentinfo@ricoh-usa.com</li> </ul> |
|--|---|
| E-mail                                       | : environmentinfo@ricoh-usa.com   |
|  |   |

# Section2 : Composition, Information on Ingredients

| Ingredients                     | Chemical       | Contents | ACGIH   | (TLV) |     | OSHA    | (PEL) |
|---------------------------------|----------------|----------|---------|-------|-----|---------|-------|
| CAS No./Common<br>Name          | Formula        | (%)      | TWA     | STEL  | С   | TWA     | С     |
| Confidential<br>Polyester Resin | Confidential   | 50-90    | N.A     | N.A   | N.A | N.A     | N.A   |
| Confidential<br>Wax             | Confidential   | <10      | 2mg/m3  | N.A   | N.A | N.A     | N.A   |
| 147-14-8<br>Organic Pigment     | C32H16CuN<br>8 | <10      | N.A     | N.A   | N.A | N.A     | N.A   |
| 7631-86-9<br>Silica             | O2Si           | <10      | 10mg/m3 | N.A   | N.A | 15mg/m3 | N.A   |
| 13463-67-7<br>Titan Oxide       | TiO2           | 0.1-1    | 10mg/m3 | N.A   | N.A | 15mg/m3 | N.A   |
|                                 |                |          |         |       |     |         |       |

This product does not contain any of the following substances as ingredients. And if it contains any impurities, it does not exceed any of the thresholds of RoHS.

Cadmium, Hexavalent Chromium, Mercury, Lead, Polybrominated biphenyls (PBB), Polybrominated diphenyleters (PBDE).

Hazardous Ingredients Information

| Chemical Name : Titan Oxide     |              |                      |              |
|---------------------------------|--------------|----------------------|--------------|
| CAS Number                      | : 13463-67-7 | EEC Number           | : 236-675-5  |
| OSHA Z-Tables (USA)             | : 15mg/m3    | ACGIH-TLV            | : 10mg/m3    |
| NTP (USA)                       | : Not listed | IARC Monographs      | : Group 2B   |
| Symbol (EU)                     | : Not listed | R-Phrase (EU)        | : Not listed |
| DFG-MAK (GER)                   | : Not listed | OELs-TWA (Australia) | : 10mg/m3    |
| California Proposition 65 (USA) | : Not listed |                      | -            |
|                                 |              |                      |              |

|   | Section3 : H  | lazards Identification   | on   |                      |
|---|---|--|--|----------------------|
|   |   |  |  |                      |
|   |   | Emergency  | / Overview   |                      |
| HMIS  | Health: 1   | Flammabilit : 1  | Reactivity : 0   | PPE:See section 8    |
| NFPA  | Health: 1   | y<br>Flammabilit:1<br>y  | Reactivity : 0   |                      |
| Adverse H<br>There a<br>Potential He<br>Primary En<br>Inhalation<br>Skin<br>Ingestion<br>Environme<br>There a<br>Physical a<br>There a<br>Specific Ha<br>Dust ex<br>Main Symp<br>Acute Inha<br>Exposu<br>Acute Ora<br>Low ac<br>Acute Eye<br>May ca<br>Acute Skir<br>May be<br>Sensitizati<br>From te   | ealth Effects<br>ntry Routes :<br>n ; Yes<br>; Yes<br>ental Effects :<br>are no significant<br>nd Chemical Haz<br>are no significant<br>azards :<br>colosion (like mos<br>bitoms :<br>alation Toxicity<br>ute toxicity in ani-<br>l Tritation<br>use slight transie<br>n Irritation<br>e non-irritant.<br>ion<br>est no apparent s<br>related conjuncti | ects :<br>hazards expected with<br>hazards expected with<br>zards :<br>hazards expected with<br>st finely grained organic<br>amount of dust may cau<br>mal experiment. | intended use.<br>intended use.<br>powders)<br>use physical irritation to | o respiratory tract. |
| Slight pulmonary fibrosis has been reported in rats upon chronic inhalation exposure to a toner at 4mg/m3 every day for 2 years. No pulmonary change was found at 1mg/m3. These findings show that exposure to excessive amounts of powder may cause damage to lungs. However, normal use and handling of this product as intended, does not result in inhalation of excessive amounts of powder.   |   |  |  |                      |
| <ul> <li>Carcinogenicity <ul> <li>Titanium dioxide contained in this product is classified to Group 2B of IARC as the result of inhalation test in use of rat.</li> <li>But oral/skin test does not show carcinogenicity.</li> <li>In the animal experiment with very high concentration of titanium dioxide (excessive burden of rat's lungs clearance mechanism (overload phenomenon)), the rat alone showed lung tumor.</li> <li>Under a normal use practice, the concentration should be far lower than the above; and it is assumed that there is no such use.</li> <li>Also, relation between respiratory disease and work exposure of titanium dioxide is not observed with epidemiological survey.</li> </ul> </li> </ul> |   |  |  |                      |
|   |   | logical survey.<br>ated by Exposure  |  |                      |

Medical Conditions Aggravated by Exposure Not applicable Classification of the Chemical Product This mixture is not classified as dangerous.

Inhalation :

Remove from exposure into fresh air and rinse mouth with water. Seek medical advice. Skin Contact :

Wash thoroughly with soapy water.

Eye Contact :

Flush with a large amount of water until particles are removed. Seek medical advice. Ingestion :

Drink several glasses of water to dilute ingested toner. Seek medical advice.

Immediate Medical Attention :

Immediate medical attention is not required.

## Section5 : Fire Fighting Measures

| Flash Point (degrees centigrade)<br>Burning Rate (mm/sec)<br>Autoignition Temperature (degrees<br>centigrade) |                     | : Not applicable<br>: 0.223 or below<br>: Not available |  |  |
|---|---------------------|---|--|--|
| Flammable Limits %  | : LEL Not available | UEL Not available                                       |  |  |
| Extinguishing Media to Avoid :<br>Not applicable.   |                     |   |  |  |
| Specific Hazards :  |                     |   |  |  |
| Can form explosive dust-air mixtures when finely dispersed in air.  |                     |   |  |  |
| Fire-Fighting Instructions / Specific Method :  |                     |   |  |  |
| No special fire protecting method is required. Sprinkling or fire extinguishers can be used                   |                     |   |  |  |
| Protection of Firefighters :  |                     |   |  |  |

Wear gloves, glasses, a mask if necessary.

## Section6 : Accidental Release Measures

Personal Precautions :

Do not breathe in dust.

**Environment Precautions :** 

Do not flush into sewers or watercourses.

Methods for Cleaning Up :

Confirm there is no source of fire and if there is a source, remove it. Sweep up spilled powder slowly and clean remainder with wet cloth.

### Section7 : Handling and Storage

Handling :

Technical Measures/Precautions

Not applicable

Safe Handling Advice

Do not handle in areas where there is wind or draught, this may cause dust to get into eyes. Avoid breathing in dust.

Storage :

Technical Measures

Not applicable Storage Conditions

Keep out of reach of children.

Store in dry, well-ventilated area, to maintain quality the temperature should not exceed 35 degrees centigrade for a long time. Avoid direct sunlight.

Packaging material

Not applicable

Specific Use(s) :

Image formation in printing machines or copiers.

### Section8 : Exposure Controls/Personal Protection

Technical measures : Use adequate ventilation. None required with intended use. **Control Parameters** Exposure Limit Value (I) USA OSHA PEL (TWA) : 15mg/m3 (Total dust) 5.0mg/m3 (Respirable fraction) ACGIH TLV (TWÀ) : 10mg/m3 (Inhalable fraction) 3.0mg/m3 (Respirable fraction) DFG MAK : 4.0mg/m3 (Total dust) 1.5mg/m3 (Respirable fraction) **Personal Protection** Respiratory Protections (Specify Type) None required in normal use. If the limit of exposure concentration is exceeded, use authorised respirator. Eye Protection Put on goggles if necessary. Protective Gloves Use vinyl or rubber gloves if necessary. Protective Clothing or Equipment Wear chemical-resistant apron or other impervious clothing if necessary. Hygiene Measures Wash hands after handling.

## Section9 : Physical and Chemical Properties

| Appearance<br>Physical state : Solid<br>Form : Pow<br>Colour : Cya   | der                     |  |  |
|--|-------------------------|--|--|
| Odor   | : Slightly plastic odor |  |  |
| рН   | : Not applicable        |  |  |
| Boiling Point (degrees : Not applicable centigrade)                  |                         |  |  |
| Vapor Pressure (Pa)  | Not applicable          |  |  |
| Vapor Density<br>(AIR=1)   | : Not applicable        |  |  |
| Density ( / 3)   |                         | Measuring Temp (degrees centigrade) : 25 |  |
| Formula Weight : Not applicable                                      |                         |  |  |
| Melting Point (degrees : (Softening point) Approx.110<br>centigrade) |                         |  |  |
| Decomposition temperature (degrees centigrade)                       |                         | : Not available                          |  |
| Viscosity (Pa s) : Not applicable                                    |                         |  |  |
| Volatile (%) : 0.2 or below  |                         |  |  |
| Evaporation Rate (Butyl Acetate = 1) : Not applicable                |                         |  |  |
| Water Solubility (g/L) : Insoluble                                   |                         |  |  |
| Chloroform Solubility (g/L) : Slightly soluble                       |                         |  |  |

# Section10 : Stability and Reactivity

Stability : Stable Hazardous Reaction : Dust explosion, like most finely grained organic powders. Condition to Avoid : Not applicable in normal use. Materials to Avoid : Not applicable in normal use. Hazardous Polymerization : None Hazardous Decomposition or Byproducts : Decomposition products will not occur.

| Acute Toxicity<br>Acute Oral Toxicity (LD50) :<br>5000 or over (Based on other product test results of similar ingredients.)<br>Acute Dermal Toxicity :<br>Not available<br>Acute Inhalation Toxicity :<br>Not available<br>Local effects<br>Acute Skin Irritation(PII) :<br>1.0 or below (Rabbit) (Based on other product test results of similar ingredients.)<br>Acute Eye Irritation :<br>Non-irritant (Based on other product test results of similar ingredients.)<br>Sensitization<br>Acute Allergenic Effects :<br>Non-skinsensitive (Marmot) (Based on other product test results of similar ingredients.)<br>Specific Effects<br>Carcinogenicity :<br>In 2008 IARC the re-evaluated Titanium dioxide as a Group 2B carcinogen for which there is<br>inadequate human evidence, but sufficient animal evidence.<br>The latter is based upon the development of lung tumors in rats receiving chronic inhalation<br>exposures to Titanium dioxide at levels that induce particle overload of the lung.<br>Use of this product, as intended, dose not result in inhalation of excessive dust.<br>Epidemiological study to date have not revealed any evidence of the relationbetween exposure to<br>titanium dioxide and diseases of the respiratory tract beyond general effects of dust.<br>Mutagenicity : Negative (Ames test)<br>Reproduction Toxicity : Does not contain substances listed as hazardous to reproductive health.<br>Teratogenic : Not available |  |
|--|--|
| Section12 : Ecological Information   |  |

| Persistence/Degradabilit : Not av                            | ta are available on any adverse effects on the environment.<br>vailable  |
|--|--|
| y<br>Bioaccumulation : Not av<br>Ecotoxicity                 | vailable   |
| Acute Toxicity for Fish (LC50)<br>Acute Toxicity for Daphnia | : Not classified as toxic (EU Directive 1999/45/EC)mg/l/96hr<br>: Not classified as toxic (EU Directive 1999/45/EC)mg/l/48hr |
| (EC50)<br>Algae Inhibition Test (IC50)                       | : Not classified as toxic (EU Directive 1999/45/EC)mg/I/72hr   |

Г

### Section13 : Disposal Consideration

General information:

Dispose of waste and residues in accordance with local authority requirements.

Disposal methods:

Disposal recommendations are based on material as supplied. Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal. Confirm disposal procedures with local regulations.

#### Precautions

Do not throw the toner cartridge or toner into an open flame. Hot toner may scatter and cause burns or other damage.

#### Section14 : Transport Information

International Regulations Land Transport **RID/ADR** : Not applicable : Not applicable DOT 49 CFR : Not applicable ADNR Sea Transport IMDG Code : Not applicable Air Transport ICAO-TI/IATA-DGR : Not applicable : Not applicable **UN Number** Specific Precautionary Transport Measures and Conditions Avoid direct sunlight in quality.

### Section15 : Regulatory Information

Regulations

**US** Information Information on the label : Not required TSCA (Toxic Substances Control Act) : This toner complies with all applicable rules and regulations under TSCA. SARA (Superfund Amendments and Reauthorization Act) Title III 313 Reportable Ingredients : Not regulated California Proposition 65 : Not regulated Canada Information WHMIS Controlled product : Not a controlled product EU Information Information on the label (1999/45/EC and 67/548/EEC) Symbol & Indication : Not required R-Phrase : Not required S-Phrase : Not required Special Precautions under 1999/45/EC Annex V : Not required 76/769/EEC This product complies with applicable rules and regulations under 76/769/EEC Explanation of Hazardous Materials Identification System [HMIS]& National Fire Protection Association [NFPA] Hazard Rating Systems:

Both the HMIS and NFPA systems use number from "0" to "4" to show the degree of hazard in an uncontrolled situation:

0=Minimum Hazard 1=Slight Hazard 2=Moderate Hazard 3=Serious Hazard 4=Severe Hazard Colors may also be used in both systems:

**Blue**=Health Hazard **Red**=Fire Hazard **Yellow**=Reactivity Hazard **White**=Indicate a special hazard HMIS will specify any Personal Protective Equipment reqired [PPE],

NFPA will specify OX(oxidizer), Acid(acid), ALK(Alkali), COR(Corrosive), W(use no water), xx(Radioactive).

Literature References :

ANSI Z400.1-1993

ISO 11014-1

Commission Directive 91/155/EEC

IARC (1996) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.65, Printing Process and Printing Inks, Carbon Black and Some Nitro Compounds", Lyon, pp149-261

H.Muhle, B.Bellman, O.Creutzenberg, C.Dasenbrock, H.Emst, R.Kilpper, J.C.MacKenzie, P.Morrow, U.Mohr, S.Takenaka and R.Mermelstein(1991) "Pulmonary Response to Toner upon Chronic Inhalation Exposure in Rats" Fundamental and Applied Toxicology 17,pp280-299

IARC (2008) "IARC Monograph on the Evaluation of the Carcinogenic Risk of Chemicals to Humans, Vol.93"

NIOSH CURRENT INTELLIGENCE BULLETIN "Evaluation of Health Hazard and Recommendation for Occupational Exposure to Titanium Dioxide DRAFT"

| ACGIH-TLV   | : Threshold Limit Values for Chemical Substances and Physical Agents and<br>Biological Exposure Indices  |  |  |
|---|--|--|--|
| OSHA Z-Table<br>NTP (USA)   |  |  |  |
| Symbol (EC)   | : EU Directive 67/548/EEC  |  |  |
| 91/155/ EEC   | : EU Directive 91/155/ EEC   |  |  |
| 1999/45/EC Ar   |  |  |  |
| 76/769/EEC  | : EU Directive 76/769/EEC  |  |  |
| EC 304/2003   | <ul> <li>Regulation (EC) No 304/2003 of the European Parliament and of the<br/>Council of 28 January 2003 concerning the export and import of dangerous<br/>chemicals</li> </ul> |  |  |
| WHMIS Contro  | olled : Canada Workplace Hazardous Information System  |  |  |
| product   |  |  |  |
| OELs-TWA (A   | ustralia) : Guidance Note on the Interpretation of Exposure Standards for<br>Atmospheric Contaminants in the Occupational Environment [NOHSC:<br>3008 (1995)]                    |  |  |
| Abbreviations :   |  |  |  |
| OSHA PEL  | PEL (Permissible Exposure Limit) under Occupational Safety and Health Act  |  |  |
| ACGIH-TLV TLV (Threshold Limit Values) under American Conference of Governmental Industr              |  |  |  |
| Hygienists  |  |  |  |
| DFG-MAK   | MAK (Maximale Arbeitsplatz Konzentrationen) by Deutsche Forschungs Gemeinschaft  |  |  |
| RoHS Restriction of the use of certain Hazardous Substances in Electrical and Electronic<br>Equipment |  |  |  |
| TWA   | Time Weighted Average  |  |  |
| IARC  |  |  |  |
| NTD   | Netional Taylocary Drivesearch of Gancer   |  |  |

- NTP National Toxicology Program
- WHMIS Workplace Hazardous Information System

NOHSC National Occupational Health and Safety Commission Act 1985

Disclaimer(S) :

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Ricoh Americs Corporation.

It relates only to the specific material designated herein, and does not relate to use in combination with any other material or process.

Ricoh Americas Corporation assumes no legal responsibility for use or reliance upon this information.