

## **Product Safety Information Sheet**

General environmental and safety information for consumers

## 1. Product and Company Identification

- 1.1 *Identification of the preparation* 51650Y No. 50Y yellow ink
- 1.2 Company undertaking identification
  Hewlett-Packard Company
  1000 NE Circle Boulevard
  Corvallis OR 97330-4239
  USA
- 1.3 Emergency telephone number
  Hewlett-Packard Health Effects Line
  1-800-457-4209 (USA and Canada) or
  Intl +1-503-494-7199 (all other areas)
- 1.4 General information telephone number 1-208-323-2551 (USA and Canada) Intl +1-208-323-2551 (all other areas)

Hazard rating	NFPA/HMIS
Health	1
Flammability	2
Instability/Reactivity	0
Special	none

## 2. Composition/information on ingredients

Component	CAS No.	%by weight	Workplace Limits (PEL, TLV)
Trade secret colorants	not specified	<5	Not established
Diethylene glycol	111-46-6	<60	Not established
Water	7732-18-5	balance	Not established



## Product Safety Information Sheet 51650Y – No. 50Y yellow

#### 3. Hazards Identification

3.1 *Primary Routes of Exposure* skin, eye, oral, and inhalation

3.2 Acute Health Hazards

Skin: Ink may cause slight skin irritation characterized by redness and swelling

after prolonged contact. Indications may be masked by color of ink.

Eye: Ink may be mildly irritating.

Oral: May cause stomach upset after ingestion.

Inhalation: Prolonged intentional inhalation may result in primary irritation to the

respiratory tract.

3.3 Chronic Health Hazards

None noted

3.4 Carcinogenicity

No component is a listed carcinogen according to ACGIH, EPA, EU, MAK, IARC, NTP, or OSHA criteria.

#### 4. First Aid Measures

## 4.1 Emergency First Aid Procedures

## Call the HEWLETT-PACKARD HEALTH EFFECTS LINE at 1-800-457-4209 (Intl + 1-503-494-7199 outside USA and Canada).

### First aid for skin

Wash affected areas thoroughly with soap and water. Clothing should be laundered before reuse. **Seek medical attention if skin irritation persists.** 

#### First aid for eyes

Contact with eyes may cause mild irritation. Immediately flush with large amounts of clean, lukewarm water (low pressure) for at least 15 minutes. **Seek medical attention if eye irritation persists.** 

### First aid for ingestion

Ingestion of ink may cause stomach upset. Seek medical advice and then call the HEWLETT-PACKARD HEALTH EFFECTS LINE. **Seek medical attention if stomach upset persists.** 

#### First aid for inhalation

Remove to fresh air.



# Product Safety Information Sheet 51650Y – No. 50Y yellow

## 5. Fire Fighting Measures

Flash point:	Autoignition temperature:
>141°F, >61°C	not determined
Extinguishing media:	Special fire fighting procedures:
Water, dry chemical, carbon dioxide, foam	none
Unusual fire and explosion hazards:	
no special hazards known	

#### 6. Accidental release measures

Spill or Leak Procedures

No special procedures are indicated. Use absorbent towels to wipe up ink. Rinse area with damp cloth to remove remaining traces of ink.

## 7. Handling and storage

No special handling or storage required.

### **KEEP OUT OF THE REACH OF CHILDREN**

<b>Storage temperature</b> : 59° – 95°F; 15° – 35°C	Shelf life: 1 year
Handling and storage precautions: do not use inkjet	Special sensitivity: none
cartridge when frozen. Ensure inkjet cartridge exterior is	
dry before inserting into printer.	

## 8. Exposure control / personal protection

No special eye or skin protection is needed for cleanup of spills. Standard eye and skin protection for laboratory chemical safety is required.

## 9. Physical and chemical properties

Appearance: yellow liquid	Physical state: liquid at room temperature
<b>pH:</b> 4.0 - 7.0	Solvent content: <60%
Solubility in water: soluble	Vapor density: >1 (air = 1.0)
Odor: not applicable	Vapor pressure: not applicable

## 10. Stability and reactivity

Stability: stable under normal storage conditions	Thermal decomposition products: Oxides of carbon/nitrogen, water
Incompatibilities: strong oxidizers	Hazardous polymerization: none

27 March 2001 Page 3 of 3



## Product Safety Information Sheet 51650Y – No. 50Y yellow

## 11. Toxicological information

Refer to sections 3. Potential Health Effects and 4. First Aid Measures

This product has been tested.

The LD50 is >2500 mg/kg.

This ink formulation contains diethylene glycol.

 Scientific literature indicates that ingestion of some glycols can present health hazards including CNS and metabolic abnormalities, respiratory effects and kidney disorder.

### 12. Ecological information

No data available

## 13. Disposal considerations

Dispose in accordance with all applicable federal, state and local laws

#### 14. Transport information

Not a regulated article under DOT or IATA or ADR or RID

#### 15. Regulatory information

This product is classified in the European Union according to Directive 88/379/EEC and requires a product label. For other countries, including the USA, no product label is required.

#### 16. Other Information

Date prepared: March 27, 2001. Supersedes: August 30, 1999.

Section revised: 5.0

DISCLAIMER: This Product Safety Information Sheet is offered without charge to the customers of Hewlett-Packard. Data is the most current known to Hewlett-Packard at the time of preparation and is believed to be accurate. It should not be construed as guaranteeing specific properties of the product as described or suitability for a particular application.